F

False Negative

J. Audie Black

Allegheny General Hospital, Pittsburgh, PA, USA
Department of Psychiatry; Neuropsychology
Section, Allegheny Health Network, Pittsburgh,
PA, USA

Definition

A false negative occurs when an examinee's performance on a test misclassifies the examinee as not having the condition of interest (COI) being evaluated even though the examinee genuinely has the COI. The false-negative rate for a test using the same cutoff score can vary according to different populations of interest. For instance, if the same cutoff score on a cognitive screening test (e.g., MMSE-2 or the MoCA) was used to identify neurocognitive impairment for individuals with significantly different levels of education, the measure would be more likely to misclassify an examinee with graduate level education as being

cognitively intact, when in fact the examinee had a mild cognitive impairment, compared to an examinee with a high school diploma (e.g., O'Bryant et al. 2008). The false-negative rate is inversely related to a test's sensitivity (i.e., a test with a higher false-negative rate will have a lower sensitivity).

Cross-References

- ▶ [Cut Off Scores, Cutting Scores](#)
- ▶ [Error, Sources of](#)
- ▶ [Sensitivity](#)

References

- O'Bryant, S. E., Humphreys, J. D., Smith, G. E., Ivnik, R. J., Graff-Radford, N. R., Petersen, R. C., & Lucas, J. A. (2008). Detecting dementia with the mini-mental state examination (MMSE) in highly educated individuals. *Archives of Neurology*, 65(7), 963–967. doi:10.1001/archneur.65.7.963.