G

Graphesthesia

Kerry Donnelly

VA WNY Healthcare System, University of Buffalo (SUNY) Behavioral Health Careline (116B), Buffalo, NY, USA

Definition

Graphesthesia is the ability to recognize writing on the skin. Its name derives from Greek *grapha* (writing) and *aisthesis* (perception). Graphesthesia was first described in 1920 by Sir Henry Head. In the sensorimotor exam, with the patient's eyes closed, the examiner writes single numbers or letters on the palm of the hand or fingertips with something relatively blunt, like the dull point of a pencil. Considered a measure of fine tactual discrimination, the inability to decipher the numbers or letters being written could be the result of lesions anywhere in the medial lemniscal system, from the dorsal columns to the cortex. If more of the elementary functions (such

as vibration and proprioception) are intact, then the inability to perform on this task might suggest a functional disturbance in the hand region of the postcentral gyrus. Typically, the performance on the right is compared with that on the left to help identify the lateralized deficits. Body parts other than the hands could be tested, but the size of the figures should be commensurate with the sensitivity of the region. Studies have also suggested that loss of graphesthesia may be related to some psychiatric disorders, such as schizophrenia and obsessive-compulsive disorder, but in these cases, the lateralized deficiencies would not be expected.

References and Readings

- Segalowitz, S. J., & Rapin, I. (2003). Child neuropsychology. In F. Boller & J. Grafman (Eds.), *Handbook of neuropsychology* (2nd ed., pp. 393–394). Amsterdam: Elsevier.
- Varney, N. J. (1986). Some thesis. In H. J. Hannay (Ed.), *Experimental techniques in human neuropsychology* (p. 232). New York: Oxford.