

Dependent Types and Fibred Computational Effects

Danel Ahman¹(✉), Neil Ghani², and Gordon D. Plotkin¹

¹ LFCS, University of Edinburgh, Edinburgh, Scotland, UK
d.ahman@ed.ac.uk, gdp@inf.ed.ac.uk

² MSP Group, University of Strathclyde, Glasgow, Scotland, UK
neil.ghani@strath.ac.uk

Abstract. We study the interplay between dependent types and general computational effects. We define a language with both value types and terms, and computation types and terms, where types depend only on value terms. We use computational Σ -types to account for type-dependency in the sequential composition of computations. Our language design is justified by a natural class of categorical models. We account for both algebraic and non-algebraic effects. We also show how to extend the language with general recursion, using continuous families of cpos.

1 Introduction

While dependent types have proven very useful on their own, for both programming and theorem proving, one also seeks a general way to combine them with computational effects, such as I/O, state, continuations, or recursion, so as to write more practical, concise, or clearer programs. However, despite the study of each of the two fields being well advanced, their combination presents difficulties, as recognised already by Moggi [25].

One puzzling problem is what to make of a type $A(M)$ if M can raise an effect. We do not know a general denotational semantics for such types, though there may be one (there is one for local names [28]). Pragmatically, the situation depends on the nature of the computational effects considered. For effects not requiring interaction with the program runtime, such as local names [28] or general recursion [7], one need not restrict M , as computing $A(M)$ then only depends on static information. However, this does not work well in general, as some effects, e.g., I/O, do crucially depend on interaction with the program runtime, and so then will the computation of $A(M)$. As one consequence, extending a coarse-grained language, e.g., Moggi's computational lambda calculus [24], with dependent types seems not to give a general solution, as the natural elimination rule for Π -types produces types of the form $A(M)$ (and cf. Levy [20, Sect. 12.4.1]).

D. Ahman—This work was funded by a University of Edinburgh PhD scholarship and by the scholarship program Kristjan Jaak, which is funded and managed by Archimedes Foundation in collaboration with the Estonian Ministry of Education and Research.

A natural move to try to solve these problems is to allow types to depend only on value terms. This is the route we take in this paper and it does lead to a natural general semantics. While at first such a choice might seem limiting, we recover dependency on the statically available information about computational effects by inspecting the structure of thunked computations.

To ensure that types depend only on values, we make a clear distinction between values and computations, using separate classes of value types A and computation types \underline{C} , as in Call-By-Push-Value (CBPV) [20] and the Enriched Effect Calculus (EEC) [9]. Then the variables in types range only over value types, as desired. However, a further problem then arises: the usual typing rule

$$\frac{\Gamma \vdash M : FA \quad \Gamma, x:A \vdash N(x) : \underline{C}(x)}{\Gamma \vdash M \text{ to } x \text{ in } N(x) : \underline{C}(x)} (*)$$

for sequential composition of computations is not correct as x may occur freely in $\underline{C}(x)$ in the conclusion. An evident move here is to prohibit x from occurring freely in \underline{C} , as, e.g., advocated by Levy [20, Sect. 12.4.1] and Brady [5]. However, this seems too restrictive: to make the most of dependent types, it is desirable for the type of an effectful program to depend on values produced by preceding computations. As an example, consider combining monadic parsing [16] with dependent types and applying it to the parsing of well-typed syntax. Then it is natural to decompose the parsing of function applications into a parser for the function and a parser for the argument, where the type of the latter crucially depends on the domain of the type of the parsed function.

The approach we take is to keep the restricted form of (*), but to also introduce *computational Σ -types* $\Sigma x:A. \underline{C}(x)$, whose use is inspired by the algebraic treatment of computational effects [31]. To explain these, suppose computation types denote algebras for the algebraic theory of boolean-valued read-only store [35, Sect. III.A]. Now let us consider the composite effectful program

$$((\text{return } 2) ? (\text{return } 3)) \text{ to } x \text{ in } M(x)$$

where $x : \text{Nat} \vdash M(x) : \underline{C}(x)$. Here we see that, after looking up the bit with $?$, this program either evaluates as $M(2)$, which has type $\underline{C}(2)$, or as $M(3)$, which has type $\underline{C}(3)$. So the whole computation yields an element of the coproduct of algebras $\underline{C}(2) + \underline{C}(3)$. This pattern also recurs with other computational effects, and dependency on value types other than natural numbers: hence the computational Σ -types. These types enable us to type sequential composition by “closing-off” the free variable x in $\underline{C}(x)$: using the hypothesis of (*) we derive

$$\Gamma, x:A \vdash \langle x, N(x) \rangle : \Sigma x:A. \underline{C}(x)$$

using the introduction rule for computational Σ -types, and then derive

$$\Gamma \vdash M \text{ to } x \text{ in } \langle x, N(x) \rangle : \Sigma x:A. \underline{C}(x)$$

using the restricted form of (*).

We aim to put these ideas together at a *foundational* level, comparable with the levels at which the two fields have been studied separately. In contrast, the existing work on combining dependent types with first-class computational effects has concerned only *particular* kinds of effects (e.g., [7, 26, 28, 37]). Other authors have used dependent types in existing languages to *represent* effects using DSLs (e.g., [5, 13, 23]). There has, however, been no work combining dependent types with *general, first class* computational effects.

In Sect. 2, we define a small dependently-typed language with computational effects, combining features from Martin-Löf type theory (MLTT) [22] and computational languages separating values and computations, such as CBPV or EEC. The language design we propose is justified in Sect. 3 in terms of a sound and complete interpretation in a class of categorical models naturally combining (i) comprehension categories arising from the semantics of dependent types; and (ii) adjunctions arising from the semantics of computational effects. In Sect. 4, we extend the language and its semantics with algebraic effects. In Sect. 5, we extend the language and its semantics with general recursion.

2 A Dependently-typed Effectful Language

We now define the syntax and equational theory of our dependently-typed effectful language, making a clear distinction between values and computations, at both type and term levels: the value fragment of our language is based on MLTT; the computational fragment is greatly influenced by CBPV and EEC.

Variables. We assume two countable sets: of *value variables*, ranged over by x, y, \dots ; and of *computation variables*, ranged over by z, \dots . The former are treated as in MLTT: they are intuitionistic, and enjoy structural rules of weakening and contraction. The latter, on the other hand, are treated linearly, as in EEC, and play a crucial role in the elimination rule for computational Σ -types.

Types. Our *value types* A, B, \dots are given as in MLTT, except for the type $\underline{U}\mathcal{C}$ of thunks, familiar from CBPV. To keep the presentation simple and focussed on the computational fragment of our language, we omit value sum types and general inductive types, both of which can be easily added. Our *computation types* $\underline{C}, \underline{D}, \dots$ generalise those of CBPV and EEC. The grammar of types is

$$A ::= \text{Nat} \mid 1 \mid \Sigma x:A.B \mid \Pi x:A.B \mid \text{Id}_A(V, W) \mid \underline{U}\mathcal{C} \quad \underline{C} ::= FA \mid \Sigma x:A.\underline{C} \mid \Pi x:A.\underline{C}$$

Here, FA is the type of computations returning values of type A . The computational Σ - and Π -types are the natural dependently-typed generalisations of EEC's computational tensor and function types: $!A \otimes \underline{C}, A \rightarrow \underline{C}$. Rules defining well-formed value contexts $\vdash \Gamma$ and types $\Gamma \vdash A, \Gamma \vdash \underline{C}$ are given in Fig. 1.

Terms. We let V, W, \dots to range over *value terms*. These are given as in MLTT, except for thunked computations $\mathbf{thunk} M$, familiar from CBPV. Compared to CBPV, we include both value functions and complex values to accommodate pure programs on which the types of our language could depend. Regarding effectful programs, we further distinguish between *computation terms*, ranged

over by M, N, \dots and *homomorphism terms*, ranged over by K, L, \dots . We decorate our terms with certain type-annotations, so that we can later define the denotational semantics on raw syntax — a standard approach in the literature [15, 36]. We omit these annotations in informal discussion. The grammar of terms is

$$\begin{aligned}
 V &::= x \mid \mathbf{zero} \mid \mathbf{succ} \, V \mid \mathbf{rec}_{x:A}(V_z, y_1.y_2.V_s, W) \mid \star \mid \lambda x:A.V \mid V(W)_{(x:A).B} \mid \\
 &\quad \langle V, W \rangle_{(x:A).B} \mid \mathbf{fst}_{(x:A).B} V \mid \mathbf{snd}_{(x:A).B} V \mid \mathbf{thunk} \, M \mid \\
 &\quad \mathbf{refl} \, V \mid \mathbf{ind}_A(x_1.x_2.x_3.B, y, W, V_1, V_2, V_p) \\
 M &::= \mathbf{return} \, V \mid M \mathbf{to} \, x:A \mathbf{in}_{\underline{C}} \, N \mid \mathbf{force}_{\underline{C}} \, V \mid \lambda x:A.M \mid M(V)_{(x:A).\underline{C}} \mid \\
 &\quad \langle V, M \rangle_{(x:A).\underline{C}} \mid M \mathbf{to} \, \langle x:A, z:\underline{C} \rangle \mathbf{in}_{\underline{D}} \, K \\
 K &::= z \mid K \mathbf{to} \, x:A \mathbf{in}_{\underline{C}} \, M \mid \lambda x:A.K \mid K(V)_{(x:A).\underline{C}} \mid \\
 &\quad \langle V, K \rangle_{(x:A).\underline{C}} \mid K \mathbf{to} \, \langle x:A, z:\underline{C} \rangle \mathbf{in}_{\underline{D}} \, L
 \end{aligned}$$

Well-formed value types

$$\frac{\vdash \Gamma}{\Gamma \vdash \mathbf{Nat}} \quad \frac{\vdash \Gamma}{\Gamma \vdash \mathbf{1}} \quad \frac{\Gamma, x:A \vdash B}{\Gamma \vdash \Sigma x:A.B} \quad \frac{\Gamma, x:A \vdash B}{\Gamma \vdash \Pi x:A.B} \quad \frac{\Gamma \vdash V:A \quad \Gamma \vdash W:A}{\Gamma \vdash \mathbf{Id}_A(V, W)} \quad \frac{\Gamma \vdash \underline{C}}{\Gamma \vdash \underline{UC}}$$

Well-formed value contexts

$$\frac{\vdash \cdot \quad \vdash \Gamma \quad x \notin \mathit{Vars}(\Gamma) \quad \Gamma \vdash A}{\vdash \cdot, x:A}$$

Well-formed computation types

$$\frac{\Gamma \vdash A}{\Gamma \vdash FA} \quad \frac{\Gamma, x:A \vdash \underline{C}}{\Gamma \vdash \Sigma x:A.\underline{C}} \quad \frac{\Gamma, x:A \vdash \underline{C}}{\Gamma \vdash \Pi x:A.\underline{C}}$$

Fig. 1. Well-formed contexts and types.

Our *computation terms* share many similarities with those in CBPV, but additionally include the introduction and elimination rules for computational Σ -types, given by pairing $\langle V, M \rangle$ and pattern-matching $M \mathbf{to} \, \langle x, z \rangle \mathbf{in} \, K$, whose syntax is similar to that for computational tensor types $!A \otimes \underline{C}$ in EEC.

As with the linear terms in EEC, our *homomorphism terms* contain computation variables z used linearly. From an operational perspective, the typing rules for homomorphism terms ensure that a computation bound to z always happens first in a well-typed term containing it. So, when eliminating a pair $\langle V, M \rangle$, M always happens before the rest of K in the compound term $\langle V, M \rangle \mathbf{to} \, \langle x, z \rangle \mathbf{in} \, K$, thus preserving the intended left-to-right evaluation order. This use of computation variables ensures that homomorphism terms denote algebra homomorphisms in the examples based on Eilenberg-Moore algebras of monads, or on algebraic effects [31]: hence the name. Similar forms of linearity are also present in CBPV with stacks [20, Sect. 2.3.4]; indeed, homomorphism terms can be viewed as a programmer-friendly syntax for dependently-typed stack terms.

Well-typed value terms $\Gamma \vdash V:A$, well-typed computation terms $\Gamma \vdash M:\underline{C}$, and well-typed homomorphism terms $\Gamma \mid z:\underline{C} \vdash K:\underline{D}$ are defined in Fig. 2.

The linear use of computation variables is also reminiscent of recent work on combining dependent and linear types in languages with distinguished intuitionistic and linear fragments [19, 38]. That work is designed to capture the

Type conversion rules

$$\frac{\Gamma \vdash V : A \quad \Gamma \vdash A = B}{\Gamma \vdash V : B} \quad \frac{\Gamma \vdash M : \underline{C} \quad \Gamma \vdash \underline{C} = \underline{D}}{\Gamma \vdash M : \underline{D}} \quad \frac{\Gamma | z : \underline{C} \vdash K : \underline{D}_1 \quad \Gamma \vdash \underline{D}_1 = \underline{D}_2}{\Gamma | z : \underline{C} \vdash K : \underline{D}_2}$$

Well-typed value terms

$$\frac{\vdash \Gamma \quad x : A \in \Gamma}{\Gamma \vdash x : A} \quad \frac{\Gamma \vdash M : \underline{C}}{\Gamma \vdash \text{thunk } M : \underline{UC}} \quad \frac{\vdash \Gamma}{\Gamma \vdash \star : 1} \quad \frac{\vdash \Gamma}{\Gamma \vdash \text{zero} : \text{Nat}} \quad \frac{\Gamma \vdash V : \text{Nat}}{\Gamma \vdash \text{succ } V : \text{Nat}}$$

$$\frac{\Gamma, x : \text{Nat} \vdash A \quad \Gamma \vdash V_z : A[\text{zero}/x] \quad \Gamma, y_1 : \text{Nat}, y_2 : A[y_1/x] \vdash V_s : A[\text{succ } y_1/x] \quad \Gamma \vdash W : \text{Nat}}{\Gamma \vdash \text{rec}_{x:A}(V_z, y_1.y_2.V_s, W) : A[W/x]}$$

$$\frac{\Gamma \vdash V : A \quad \Gamma, x : A \vdash B \quad \Gamma \vdash W : B[V/x]}{\Gamma \vdash \langle V, W \rangle_{(x:A).B} : \Sigma x : A. B} \quad \frac{\Gamma \vdash V : \Sigma x : A. B}{\Gamma \vdash \text{fst}_{(x:A).B} V : A} \quad \frac{\Gamma \vdash V : \Sigma x : A. B}{\Gamma \vdash \text{snd}_{(x:A).B} V : B[\text{fst}_{(x:A).B} V/x]}$$

$$\frac{\Gamma, x : A \vdash V : B \quad \Gamma \vdash V : \Pi x : A. B \quad \Gamma \vdash W : A}{\Gamma \vdash \lambda x : A. V : \Pi x : A. B} \quad \frac{\Gamma \vdash V : \Pi x : A. B \quad \Gamma \vdash W : A}{\Gamma \vdash V(W)_{(x:A).B} : B[W/x]} \quad \frac{\Gamma \vdash V : A}{\Gamma \vdash \text{refl } V : \text{ld}_A(V, V)}$$

$$\frac{\Gamma, x_1 : A, x_2 : A, x_3 : \text{ld}_A(x_1, x_2) \vdash B \quad \Gamma, y : A \vdash W : B[y/x_1, y/x_2, \text{refl } y/x_3]}{\Gamma \vdash V_1 : A \quad \Gamma \vdash V_2 : A \quad \Gamma \vdash V_p : \text{ld}_A(V_1, V_2)}$$

$$\frac{}{\Gamma \vdash \text{ind}_A(x_1.x_2.x_3.B, y.W, V_1, V_2, V_p) : B[V_1/x_1, V_2/x_2, V_p/x_3]}$$

Well-typed computation terms

$$\frac{\Gamma \vdash V : A}{\Gamma \vdash \text{return } V : FA} \quad \frac{\Gamma \vdash M : FA \quad \Gamma \vdash \underline{C} \quad \Gamma, x : A \vdash N : \underline{C}}{\Gamma \vdash M \text{ to } x : A \text{ in}_{\underline{C}} N : \underline{C}} \quad \frac{\Gamma, x : A \vdash M : \underline{C}}{\Gamma \vdash \lambda x : A. M : \Pi x : A. \underline{C}}$$

$$\frac{\Gamma \vdash M : \Pi x : A. \underline{C} \quad \Gamma \vdash V : A}{\Gamma \vdash M(V)_{(x:A).\underline{C}} : \underline{C}[V/x]} \quad \frac{\Gamma \vdash V : A \quad \Gamma, x : A \vdash \underline{C} \quad \Gamma \vdash M : \underline{C}[V/x]}{\Gamma \vdash \langle V, M \rangle_{(x:A).\underline{C}} : \Sigma x : A. \underline{C}}$$

$$\frac{\Gamma \vdash M : \Sigma x : A. \underline{C} \quad \Gamma \vdash \underline{D} \quad \Gamma, x : A | z : \underline{C} \vdash K : \underline{D}}{\Gamma \vdash M \text{ to } \langle x : A, z : \underline{C} \rangle \text{ in}_{\underline{D}} K : \underline{D}} \quad \frac{\Gamma \vdash V : \underline{UC}}{\Gamma \vdash \text{force}_{\underline{C}} V : \underline{C}}$$

Well-typed homomorphism terms

$$\frac{\Gamma \vdash \underline{C}}{\Gamma | z : \underline{C} \vdash z : \underline{C}} \quad \frac{\Gamma | z_1 : \underline{C} \vdash K : \Sigma x : A. \underline{D}_1 \quad \Gamma \vdash \underline{D}_2 \quad \Gamma, x : A | z_2 : \underline{D}_1 \vdash L : \underline{D}_2}{\Gamma | z_1 : \underline{C} \vdash K \text{ to } \langle x : A, z_2 : \underline{D}_1 \rangle \text{ in}_{\underline{D}_2} L : \underline{D}_2}$$

$$\frac{\Gamma \vdash V : A \quad \Gamma, x : A \vdash \underline{D} \quad \Gamma | z : \underline{C} \vdash K : \underline{D}[V/x]}{\Gamma | z : \underline{C} \vdash \langle V, K \rangle_{(x:A).\underline{D}} : \Sigma x : A. \underline{D}} \quad \frac{\Gamma \vdash \underline{C} \quad \Gamma, x : A | z : \underline{C} \vdash K : \underline{D}}{\Gamma | z : \underline{C} \vdash \lambda x : A. K : \Pi x : A. \underline{D}}$$

$$\frac{\Gamma | z : \underline{C} \vdash K : FA \quad \Gamma \vdash \underline{D} \quad \Gamma, x : A \vdash M : \underline{D}}{\Gamma | z : \underline{C} \vdash K \text{ to } x : A \text{ in}_{\underline{D}} M : \underline{D}} \quad \frac{\Gamma | z : \underline{C} \vdash K : \Pi x : A. \underline{D} \quad \Gamma \vdash V : A}{\Gamma | z : \underline{C} \vdash K(V)_{(x:A).\underline{D}} : \underline{D}[V/x]}$$

Fig. 2. Well-typed terms.

adjunction models of intuitionistic linear logic [3]; in contrast, our language is designed to capture the computational nature of certain adjunctions.

Equations. We equip our language with an equational theory, consisting of equations between well-formed types, written $\Gamma \vdash A = B$ and $\Gamma \vdash \underline{C} = \underline{D}$; and well-typed terms, written $\Gamma \vdash V = W : A$, $\Gamma \vdash M = N : \underline{C}$ and $\Gamma | z : \underline{C} \vdash K = L : \underline{D}$. The equations between types consist of reflexivity equations for Nat and 1, and congruence rules for all the other type formers. We omit the equations between value terms as they are standard from MLTT with natural numbers and intensional identity types [15, 22]. The rules for equations between computation and homomorphism terms are given in Fig. 3. We leave the well-typedness assumptions about the constituent terms implicit, and omit type conversion, equivalence, and congruence rules. Many of the equations in Fig. 3 are familiar from EEC, modulo the dependent-typing. Compared to other computational languages, such as [24], standard equations that may seem missing from the theory, such as associativity of sequential composition, are in fact derivable.

Equations involving thunking and forcing

$$\Gamma \vdash \text{thunk} (\text{force}_{\underline{C}} V) = V : U\underline{C} \quad \Gamma \vdash \text{force}_{\underline{C}} (\text{thunk } M) = M : \underline{C}$$

Equations between well-typed computation terms

$$\begin{aligned} \Gamma \vdash \text{return } V \text{ to } x:A \text{ in}_{\underline{C}} M &= M[V/x] : \underline{C} & \Gamma \vdash M \text{ to } x:A \text{ in}_{\underline{C}} K[\text{return } x/z] &= K[M/z] : \underline{C} \\ \Gamma \vdash \langle V, M \rangle \text{ to } \langle x:A, z:\underline{C} \rangle \text{ in}_{\underline{D}} K &= K[V/x, M/z] : \underline{D} & \Gamma \vdash (\lambda x:A.M)(V)_{(x:A).\underline{C}} &= M[V/x] : \underline{C}[V/x] \\ \Gamma \vdash M \text{ to } \langle x:A, z_2:\underline{C} \rangle \text{ in}_{\underline{D}} K[\langle x, z_2 \rangle/z_1] &= K[M/z_1] : \underline{D} & \Gamma \vdash M = \lambda x:A.M(x)_{(x:A).\underline{C}} &: \Pi x:A.\underline{C} \end{aligned}$$

Equations between well-typed homomorphism terms

$$\begin{aligned} \Gamma | z_1:\underline{C} \vdash K \text{ to } x:A \text{ in}_{\underline{D}} L[\text{return } x/z_2] &= L[K/z_2] : \underline{D} \\ \Gamma | z_1:\underline{C} \vdash \langle V, K \rangle \text{ to } \langle x:A, z_2:\underline{D}_1 \rangle \text{ in}_{\underline{D}_2} L &= L[V/x, K/z_2] : \underline{D}_2 \\ \Gamma | z_1:\underline{C} \vdash K \text{ to } \langle x:A, z_3:\underline{D}_1 \rangle \text{ in}_{\underline{D}_2} L[\langle x, z_3 \rangle/z_2] &= L[K/z_2] : \underline{D}_2 \\ \Gamma | z_1:\underline{C} \vdash (\lambda x:A.K)(V)_{(x:A).\underline{D}} &= K[V/x] : \underline{D}[V/x] \\ \Gamma | z_1:\underline{C} \vdash K = \lambda x:A.K(x)_{(x:A).\underline{D}} &: \Pi x:A.\underline{D} \end{aligned}$$

Fig. 3. Fragment of the equational theory.

Some meta-theory. The substitution of value terms for value variables has a straightforward mutually recursive definition. We write $A[V/x]$ for the substitution of V for x in A . The substitution of computation and homomorphism terms for computation variables is also routine, recursing only in the sub-terms where linearly used computation variables can appear. We write $K[M/z]$ for the substitution of M for z in K . Then, standard weakening and substitution rules for value variables are admissible for all judgments of our language. In addition, further substitution rules for computation variables are admissible for judgments $\Gamma | z:\underline{C} \vdash K : \underline{D}$ and $\Gamma | z:\underline{C} \vdash K = L : \underline{D}$, covering the substitution of both computation and homomorphism terms for computation variables.

3 Denotational Semantics

The denotational semantics of our language is based on standard fibred category theory. To make our work more accessible, we recall some preliminaries of this theory and suggest [18] for more details. Fibred category theory provides a natural framework for developing the semantics of dependently-typed languages, where: (i) functors model type-dependency; (ii) split fibrations model substitution; and (iii) closed comprehension categories model Σ - and Π -types. The ideas we develop can also be expressed in terms of other models of dependent types, such as categories with families, or categories with attributes [15, 27].

3.1 Fibred Category Theory Preliminaries

Fibrations. Given a functor $p : \mathcal{E} \rightarrow \mathcal{B}$, a morphism $g : A \rightarrow B$ is called a *Cartesian lifting* of $f : X \rightarrow Y$ if $p(g) = f$ and for all $i : C \rightarrow B$ and $j : p(C) \rightarrow X$, such that $p(i) = f \circ j$ in \mathcal{B} , there exists a unique $h : C \rightarrow A$ over j such that $g \circ h = i$. The functor $p : \mathcal{E} \rightarrow \mathcal{B}$ is called a *fibration* if for every B in \mathcal{E} and $f : X \rightarrow p(B)$ in \mathcal{B} there exists a Cartesian lifting $g : A \rightarrow B$ of f in \mathcal{E} . A morphism $f : A \rightarrow B$ in \mathcal{E} is called *vertical* if $p(A) = p(B) = X$ and $p(f) = \text{id}_X$. For any X in \mathcal{B} , we write \mathcal{E}_X for the *fibre over X* , i.e., for

the subcategory of \mathcal{E} consisting of objects over X and vertical morphisms. A fibration is called *cloven* if it comes with a choice of Cartesian liftings. We write $\bar{f}(B) : f^*(B) \rightarrow B$ for the chosen Cartesian lifting of $f : X \rightarrow p(B)$. In cloven fibrations, every \mathcal{B} -morphism $f : X \rightarrow Y$ determines a *reindexing functor* $f^* : \mathcal{E}_Y \rightarrow \mathcal{E}_X$, satisfying $(\text{id}_X)^* \cong \text{id}_{\mathcal{E}_X}$ and $(g \circ f)^* \cong f^* \circ g^*$. A cloven fibration is said to be *split* if these two isomorphisms are identities.

Given split fibrations $p : \mathcal{V} \rightarrow \mathcal{B}$ and $q : \mathcal{C} \rightarrow \mathcal{B}$, a *split fibred functor* $F : p \rightarrow q$ is given by a functor $F : \mathcal{V} \rightarrow \mathcal{C}$, such that $q \circ F = p$ and F preserves the chosen Cartesian morphisms on-the-nose. Given two split fibred functors $F, G : p \rightarrow q$, a *split fibred natural transformation* $\alpha : F \Rightarrow G$ is given by a natural transformation $\alpha : F \Rightarrow G$, in which every component of α is vertical. A *split fibred adjunction* $F \dashv U : q \rightarrow p$ is given by split fibred functors $F : p \rightarrow q$ and $U : q \rightarrow p$, together with split fibred natural transformations $\eta : \text{id}_{\mathcal{V}} \rightarrow U \circ F$ and $\varepsilon : F \circ U \rightarrow \text{id}_{\mathcal{C}}$, subject to the standard unit-counit laws for adjunctions.

Comprehension categories. A (split) *comprehension category with unit* is given by a (split) fibration $p : \mathcal{E} \rightarrow \mathcal{B}$, together with a comprehension-accepting terminal object functor $1 : \mathcal{B} \rightarrow \mathcal{E}$, i.e., 1 has a right adjoint $\{-\} : \mathcal{E} \rightarrow \mathcal{B}$; it is said to be *full* when the functor $A \mapsto p(\varepsilon_A^{1-\{-\}}) : \mathcal{E} \rightarrow \mathcal{B}^{\rightarrow}$ is full and faithful. For all A in \mathcal{E} , the \mathcal{B} -morphism $\pi_A : \{A\} \rightarrow p(A)$ is called a *projection map*. The corresponding reindexing functor $\pi_A^* : \mathcal{E}_{p(A)} \rightarrow \mathcal{E}_{\{A\}}$ is called the *weakening functor*. For every comprehension category with unit $p : \mathcal{E} \rightarrow \mathcal{B}$, we have an isomorphism $\mathcal{E}_{p(A)}(1_{p(A)}, A) \cong \{g : p(A) \rightarrow \{A\} \mid \pi_A \circ g = \text{id}_{p(A)}\}$, for all A in \mathcal{E} . As a notational convention, we write $\mathfrak{s}(f) : p(A) \rightarrow \{A\}$ for the section corresponding to the global element $f : 1_{p(A)} \rightarrow A$, given by $\{f\} \circ \eta_A^{1-\{-\}}$.

A comprehension category with unit $p : \mathcal{E} \rightarrow \mathcal{B}$ is said to have *dependent products* (resp. *weak dependent sums*) when the weakening functors π_A^* have right adjoints Π_A (resp. left adjoints Σ_A), for all A in \mathcal{E} , satisfying the Beck-Chevalley condition: for all Cartesian morphisms $f : A \rightarrow B$, the canonical natural transformation $(p(f))^* \circ \Pi_B \rightarrow \Pi_A \circ \{f\}^*$ (resp. $\Sigma_A \circ \{f\}^* \rightarrow (p(f))^* \circ \Sigma_B$) is an isomorphism. A comprehension category with unit $p : \mathcal{E} \rightarrow \mathcal{B}$ is said to have *strong dependent sums* when it has weak dependent sums, s.t. for all B in $\mathcal{E}_{\{A\}}$, the morphism $\{\bar{\pi}_A(\Sigma_A B) \circ \eta_B^{\Sigma_A \dashv \pi_A^*}\} : \{B\} \rightarrow \{\Sigma_A B\}$ is an isomorphism.

Split closed comprehension categories. In order to define fibred adjunction models in Sect. 3.2, we use a particularly well-behaved class of comprehension categories (from the perspective of interpreting type theory), namely, those that are split and closed. A *split closed comprehension category* (SCCompC) is a split full comprehension category with unit $p : \mathcal{E} \rightarrow \mathcal{B}$, where the base category \mathcal{B} has a terminal object; the fibred terminal objects are preserved on-the-nose by reindexing; and which has dependent products and strong dependent sums, for which the isomorphisms in the Beck-Chevalley conditions are identities.

Natural numbers. A SCCompC $p : \mathcal{E} \rightarrow \mathcal{B}$ is said to support *weak natural numbers* if there exists an object \mathbb{N} in \mathcal{E}_1 and vertical morphisms $\text{zero} : 1_1 \rightarrow \mathbb{N}$, $\text{succ} : \mathbb{N} \rightarrow \mathbb{N}$, s.t. for all X in \mathcal{B} , A in $\mathcal{E}_{\{!_X^*(\mathbb{N})\}}$, $h_z : 1_X \rightarrow (\mathfrak{s}(!_X^*(\text{zero})))^*(A)$ in \mathcal{E}_X and $h_s : 1_{\{A\}} \rightarrow \pi_A^*(\{!_X^*(\text{succ})\}^*(A))$ in $\mathcal{E}_{\{A\}}$, there exists $h : 1_{\{!_X^*(\mathbb{N})\}} \rightarrow A$ in $\mathcal{E}_{\{!_X^*(\mathbb{N})\}}$, satisfying $(\mathfrak{s}(!_X^*(\text{zero})))^*(h) = h_z$ and $\pi_A^*(\{!_X^*(\text{succ})\}^*(h)) = h_s$.

We present \mathbb{N} axiomatically rather than using weak initial algebras since our language and its models do not assume coproducts. Moreover, discussing the semantics of inductive types and their fibred induction principles in full generality [10] would digress too much from our central theme.

Identity types. Following the axiomatic presentation given by Warren [39], a $\text{SCCompC } p : \mathcal{E} \rightarrow \mathcal{B}$ is said to support *identity types*, if, for all A in \mathcal{E} , there exists an object Id_A in $\mathcal{E}_{\{\pi_A^*(A)\}}$, and $\mathbf{r}_A : 1_{\{A\}} \rightarrow \delta_A^*(\text{Id}_A)$ in $\mathcal{E}_{\{A\}}$, such that for all B in $\mathcal{E}_{\{\text{Id}_A\}}$ and $f : 1_{\{A\}} \rightarrow (\mathbf{s}(\mathbf{r}_A))^*(\{\overline{\delta}_A(\text{Id}_A)\}^*(B))$ in $\mathcal{E}_{\{A\}}$, there exists $\mathbf{i}_{A,B}(f) : 1_{\{\text{Id}_A\}} \rightarrow B$ in $\mathcal{E}_{\{\text{Id}_A\}}$, satisfying $(\mathbf{s}(\mathbf{r}_A))^*(\{\overline{\delta}_A(\text{Id}_A)\}^*(\mathbf{i}_{A,B}(f))) = f$. These identity types are also required to satisfy a split Beck-Chevalley condition: for all Cartesian morphisms $f : A \rightarrow B$, we must have $\{f'\}^*(\text{Id}_B) = \text{Id}_A$ in $\mathcal{E}_{\{\pi_A^*(A)\}}$, where $f' : \pi_A^*(A) \rightarrow \pi_B^*(B)$ is the unique mediating morphism over $\{f\}$, arising from $\overline{\pi}_B(B) : \pi_B^*(B) \rightarrow B$ being a Cartesian morphism. As in [18, Sect. 9.3.5], the *diagonal morphisms* δ_A arise from pullback squares of the form

$$\begin{array}{ccc}
 \{A\} & \xrightarrow{\text{id}_{\{A\}}} & \{A\} \\
 \delta_A \searrow & \xrightarrow{\quad} & \{\pi_A^*(A)\} \xrightarrow{\quad} \{A\} \\
 & & \downarrow \lrcorner & \downarrow \pi_A \\
 \{A\} & \xrightarrow{\text{id}_{\{A\}}} & \{A\} \xrightarrow{\pi_A} & p(A)
 \end{array}$$

3.2 Interpretation of Our Language in Fibred Adjunction Models

A *fibred adjunction model* is given by a $\text{SCCompC } p : \mathcal{V} \rightarrow \mathcal{B}$, a split fibration $q : \mathcal{C} \rightarrow \mathcal{B}$, and a split fibred adjunction $F \dashv U : q \rightarrow p$, such that p supports identity types and weak natural numbers (in the sense of Sect. 3.1), and q supports split dependent products and sums with respect to p as depicted in

$$\begin{array}{ccc}
 \mathcal{V} & \xrightleftharpoons[F]{U} & \mathcal{C} \\
 \downarrow p & & \downarrow q \\
 \mathcal{B} & \xrightarrow{\quad} & \mathcal{B}
 \end{array}$$

\lrcorner \lrcorner $\{-\}$

The split dependent products and sums in q , with respect to p , are defined as left and right adjoints to the weakening functors $\pi_A^* : \mathcal{C}_{p(A)} \rightarrow \mathcal{C}_{\{A\}}$, required to satisfy the analogues of the split Beck-Chevalley conditions from Sect. 3.1.

Given a $\text{SCCompC } p : \mathcal{V} \rightarrow \mathcal{B}$ that supports identity types and weak natural numbers, we can always pick the identity adjunction $\text{id}_{\mathcal{V}} \dashv \text{id}_{\mathcal{V}} : \mathcal{V} \rightarrow \mathcal{V}$ to construct a corresponding “effect-free” fibred adjunction model. Further, we can construct a restricted form of adjunction models (without identity types) from models of EEC with weak natural numbers [9], i.e., from \mathcal{D} -enriched adjunctions $F_{\text{EEC}} \dashv U_{\text{EEC}} : \mathcal{E} \rightarrow \mathcal{D}$, where \mathcal{D} is Cartesian closed and has a weak NNO, \mathcal{E} is \mathcal{D} -enriched and has all \mathcal{D} -tensors and \mathcal{D} -cotensors. These models are based on a computational variant $q : \mathbf{s}(\mathcal{D}, \mathcal{E}) \rightarrow \mathcal{D}$ of the the simple fibration

$p : \mathfrak{s}(\mathcal{D}) \longrightarrow \mathcal{D}$ [18, Theorem 10.5.5]. In particular, the objects of $\mathfrak{s}(\mathcal{D}, \mathcal{E})$ are pairs (X, \underline{C}) of a \mathcal{D} -object X and a \mathcal{E} -object \underline{C} ; and the morphisms $(X, \underline{C}) \longrightarrow (Y, \underline{D})$ are pairs (f, g) of morphisms, with $f : X \longrightarrow Y$ in \mathcal{D} and $g : X \otimes \underline{C} \longrightarrow \underline{D}$ in \mathcal{E} .

Interpretation. Following Streicher [36] and Hoffmann [15], we define the interpretation of our language in fibred adjunction models by first giving a *partial interpretation function* $\llbracket - \rrbracket$ on raw syntax and then proving that $\llbracket - \rrbracket$ is defined on well-formed expressions. We do so because of the well-known issue in interpreting dependently-typed languages: as the derivations of judgments are not unique, due to the type conversion rules, defining the interpretation on the derivations would require simultaneously proving that the definition is coherent.

If defined, $\llbracket - \rrbracket$ maps a context Γ to an object $\llbracket \Gamma \rrbracket$ in \mathcal{B} ; a pair of a context Γ and a value type A to an object $\llbracket \Gamma; A \rrbracket$ in $\mathcal{V}_{\llbracket \Gamma \rrbracket}$; a pair of a context Γ and a computation type \underline{C} to an object $\llbracket \Gamma; \underline{C} \rrbracket$ in $\mathcal{C}_{\llbracket \Gamma \rrbracket}$; a pair of a context Γ and a value term V to an object A and a morphism $\llbracket \Gamma; V \rrbracket : \mathbb{1}_{\llbracket \Gamma \rrbracket} \longrightarrow A$ in $\mathcal{V}_{\llbracket \Gamma \rrbracket}$; a pair of a context Γ and a computation term M to an object \underline{C} in $\mathcal{C}_{\llbracket \Gamma \rrbracket}$ and a morphism $\llbracket \Gamma; M \rrbracket : \mathbb{1}_{\llbracket \Gamma \rrbracket} \longrightarrow U(\underline{C})$ in $\mathcal{V}_{\llbracket \Gamma \rrbracket}$; and a triple of a context Γ , a computation type \underline{C} and a homomorphism term K to an object \underline{D} and a morphism $\llbracket \Gamma; \underline{C}; K \rrbracket : \llbracket \Gamma; \underline{C} \rrbracket \longrightarrow \underline{D}$ in $\mathcal{C}_{\llbracket \Gamma \rrbracket}$. We define these different cases of $\llbracket - \rrbracket$ simultaneously by induction on the depth of the argument expressions. In the definition, it is convenient to use Kleene equality \simeq where two sides of an equation are equal if either they are both defined and equal or they are both undefined. For contexts, $\llbracket - \rrbracket$ is defined as

$$\llbracket \cdot \rrbracket \simeq 1 \qquad \llbracket \Gamma, x : A \rrbracket \simeq \{ \llbracket \Gamma; A \rrbracket \} \quad \text{if } x \notin \text{Vars}(\Gamma)$$

For types, we illustrate the definition of $\llbracket - \rrbracket$ with the following example cases:

$$\begin{aligned} \llbracket \Gamma; \text{Nat} \rrbracket &\simeq \llbracket \Gamma \rrbracket^* (\mathbb{N}) & \llbracket \Gamma; \text{Id}_A(V, W) \rrbracket &\simeq (\langle \mathfrak{s}(\llbracket \Gamma; V \rrbracket), \mathfrak{s}(\llbracket \Gamma; W \rrbracket) \rangle, \mathfrak{s}(\text{Id}_{\llbracket \Gamma; A \rrbracket}})) * (\text{Id}_{\llbracket \Gamma; A \rrbracket}}) \\ \llbracket \Gamma; \Sigma x : A. \underline{C} \rrbracket &\simeq \Sigma_{\llbracket \Gamma; A \rrbracket} (\llbracket \Gamma, x : A; \underline{C} \rrbracket) & \llbracket \Gamma; \Pi x : A. \underline{C} \rrbracket &\simeq \Pi_{\llbracket \Gamma; A \rrbracket} (\llbracket \Gamma, x : A; \underline{C} \rrbracket) \end{aligned}$$

where the pairing morphism $\langle \mathfrak{s}(\llbracket \Gamma; V \rrbracket), \mathfrak{s}(\llbracket \Gamma; W \rrbracket) \rangle : \llbracket \Gamma \rrbracket \longrightarrow \{ \pi_{\llbracket \Gamma; A \rrbracket}}^* (\llbracket \Gamma; A \rrbracket) \}$ is the unique mediating morphism into the pullback square from Sect. 3.1, for $\mathfrak{s}(\llbracket \Gamma; V \rrbracket)$ and $\mathfrak{s}(\llbracket \Gamma; W \rrbracket)$. We also note that $\llbracket \Gamma; \text{Id}_A(V, W) \rrbracket$ is conditional on the codomains of the morphisms given by $\llbracket \Gamma; V \rrbracket$ and $\llbracket \Gamma; W \rrbracket$ being equal to $\llbracket \Gamma; A \rrbracket$.

For terms, we present the definition only for homomorphism terms, given by

$$\begin{aligned} \llbracket \Gamma; \underline{C}; z \rrbracket &\simeq \llbracket \Gamma; \underline{C} \rrbracket \xrightarrow{\text{id}_{\llbracket \Gamma; \underline{C} \rrbracket}} \llbracket \Gamma; \underline{C} \rrbracket \\ \llbracket \Gamma; \underline{C}; K \text{ to } x : A \text{ in}_{\underline{D}} M \rrbracket &\simeq \llbracket \Gamma; \underline{C} \rrbracket \xrightarrow{\llbracket \Gamma; \underline{C}; K \rrbracket} F(\llbracket \Gamma; A \rrbracket) \xrightarrow{\llbracket \Gamma, x : A; M \rrbracket^\dagger} \llbracket \Gamma; \underline{D} \rrbracket \\ \llbracket \Gamma; \underline{C}; \langle V, K \rangle_{(x:A). \underline{D}} \rrbracket &\simeq \llbracket \Gamma; \underline{C} \rrbracket \xrightarrow{\llbracket \Gamma; \underline{C}; K \rrbracket} \mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\llbracket \Gamma, x : A; \underline{D} \rrbracket) \xrightarrow{\mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\eta_{\llbracket \Gamma, x : A; \underline{D} \rrbracket}^{\Sigma^{-1} \pi^*})}} \\ &\quad \mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\pi_{\llbracket \Gamma; A \rrbracket}}^* (\Sigma_{\llbracket \Gamma; A \rrbracket} (\llbracket \Gamma, x : A; \underline{D} \rrbracket))) \xrightarrow{=} \Sigma_{\llbracket \Gamma; A \rrbracket} (\llbracket \Gamma, x : A; \underline{D} \rrbracket) \\ \llbracket \Gamma; \underline{C}; K \text{ to } \langle x : A, z : \underline{D}_1 \rangle \text{ in}_{\underline{D}_2} L \rrbracket &\simeq \llbracket \Gamma; \underline{C} \rrbracket \xrightarrow{\llbracket \Gamma; \underline{C}; K \rrbracket} \Sigma_{\llbracket \Gamma; A \rrbracket} (\llbracket \Gamma, x : A; \underline{D}_1 \rrbracket) \xrightarrow{\llbracket \llbracket \Gamma, x : A; \underline{D}_1; L \rrbracket \rrbracket}} \llbracket \Gamma; \underline{D}_2 \rrbracket \\ \llbracket \Gamma; \underline{C}; \lambda x : A. K \rrbracket &\simeq \llbracket \Gamma; \underline{C} \rrbracket \xrightarrow{\lambda_{\llbracket \Gamma, x : A; \underline{C}; K \rrbracket}} \Pi_{\llbracket \Gamma; A \rrbracket} \underline{D} \\ \llbracket \Gamma; \underline{C}; K(V)_{(x:A). \underline{D}} \rrbracket &\simeq \llbracket \Gamma; \underline{C} \rrbracket \xrightarrow{=} \mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\pi_{\llbracket \Gamma; A \rrbracket}}^* (\llbracket \Gamma; \underline{C} \rrbracket)) \xrightarrow{\mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\pi_{\llbracket \Gamma; A \rrbracket}}^* (\pi_{\llbracket \Gamma; A \rrbracket}}^* (\llbracket \Gamma; \underline{C}; K \rrbracket)))}} \\ &\quad \mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\pi_{\llbracket \Gamma; A \rrbracket}}^* (\Pi_{\llbracket \Gamma; A \rrbracket} (\llbracket \Gamma, x : A; \underline{D} \rrbracket))) \xrightarrow{\mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\epsilon_{\llbracket \Gamma, x : A; \underline{D} \rrbracket}^{\pi^* - 1 \Pi})}} \mathfrak{s}(\llbracket \Gamma; V \rrbracket) * (\llbracket \Gamma, x : A; \underline{D} \rrbracket) \end{aligned}$$

where the vertical morphisms $\llbracket \Gamma, x : A; M \rrbracket^\dagger$, $\llbracket \llbracket \Gamma, x : A, \underline{D}_1; L \rrbracket \rrbracket$ and $\lambda \llbracket \Gamma; \underline{C}; K \rrbracket$ are derived using the adjunctions involved in the definition of fibred adjunction models. Similarly to [15, 36], we make some of the cases of the definition (implicitly) conditional on the denotations of sub-terms having a particular form, based on the type-annotations with which we have decorated our terms.

Theorem 1 (Soundness). *The partial interpretation function $\llbracket - \rrbracket$ is defined on well-formed contexts, well-formed types and well-typed terms. In addition, the interpretation identifies types and terms that are equal in the equational theory.*

Similarly to [15, 36], the proof of soundness relies on lemmas relating weakening and substitution in the syntax to reindexing in fibred adjunction models.

The classifying model. We now show that the interpretation of our language in fibred adjunction models is complete by constructing its classifying model.

First, in the classifying fibred adjunction model the objects of \mathcal{B} are given by equivalence classes of well-formed value contexts Γ . The morphisms $\Gamma_1 \longrightarrow \Gamma_2$ are given by equivalence classes of tuples of value terms $\mathbf{V} = (V_1, \dots, V_m)$, where $\Gamma_2 = y_1 : B_1, \dots, y_m : B_m$ and $\Gamma_1 \vdash V_i : B_i[V_1/y_1, \dots, V_{i-1}/y_{i-1}]$, for all $1 \leq i \leq m$.

Next, the objects of the total category \mathcal{V} are given by equivalence classes of value types $\Gamma \vdash A$ and its morphisms $\Gamma_1 \vdash A \longrightarrow \Gamma_2 \vdash B$ by equivalence classes of tuples of value terms (\mathbf{V}, V) , where \mathbf{V} are typed as in \mathcal{B} , and V is typed as $\Gamma_1, x : A \vdash V : B[\mathbf{V}/\Gamma_2]$. The objects and morphisms of \mathcal{C} are defined similarly: as equivalence classes of computation types $\Gamma \vdash \underline{C}$; and as equivalence classes of tuples of terms (\mathbf{V}, K) , where K is typed as $\Gamma_1 \mid z : \underline{C} \vdash K : \underline{D}[\mathbf{V}/\Gamma_2]$. The fibrations p and q are defined by context projections, i.e., by $p(\Gamma \vdash A) = \Gamma$.

The various adjunctions involved in the definition of fibred adjunction models are defined in terms of their syntactic counterparts. For example, the split fibred adjunction $F \dashv U : q \longrightarrow p$ is defined using the types $F A$ and $U \underline{C}$, given by

$$\begin{aligned} F(\Gamma \vdash A) &= \Gamma \vdash F A & F(\mathbf{V}, V) &= (\mathbf{V}, z \text{ to } y : A \text{ in}_{FB[\mathbf{V}/\Gamma_2]} \text{ return } V[y/x]) \\ U(\Gamma \vdash \underline{C}) &= \Gamma \vdash U \underline{C} & U(\mathbf{V}, K) &= (\mathbf{V}, \text{thunk } K[\text{force}_{\underline{C}} x/z]) \end{aligned}$$

The identity types and natural numbers are also given in terms of their syntactic counterparts: the object $\text{Id}_{\Gamma \vdash A}$ in $\mathcal{V}_{\{\pi_{\Gamma \vdash A}^*(\Gamma \vdash A)\}}$ is $\Gamma, x : A, y : A \vdash \text{Id}_A(x, y)$.

Proposition 1. *The above definitions, based on the syntax of our language, constitute a fibred adjunction model, called the classifying model of our language.*

Finally, we can use this result to prove the completeness of the interpretation.

Theorem 2 (Completeness). *If two types or two terms of our language are identified in all fibred adjunction models, they are equal in the equational theory.*

3.3 Fibred Adjunction Models Based on the Families Fibration

We now discuss some examples of fibred adjunction models based on the prototypical model of dependent types, the families fibration $p : \mathbf{Fam}(\mathcal{D}) \rightarrow \mathbf{Set}$. The objects of $\mathbf{Fam}(\mathcal{D})$ are given by pairs (X, A) of a set X and an X -indexed family of \mathcal{D} -objects $A : X \rightarrow \mathit{ob}(\mathcal{D})$; the morphisms $(X, A) \rightarrow (Y, B)$ are pairs $(f, \{g_x\}_{x \in X})$ of a function $f : X \rightarrow Y$ and a X -indexed family of \mathcal{D} -morphisms $\{g_x : A(x) \rightarrow B(f(x))\}_{x \in X}$. The functor p is defined by first projection, i.e. by $p(X, A) = X$. In fact, p is a split fibration: the reindexing functors f^* are defined by pre-composition, i.e. by $f^*(Y, B) = (X, B \circ f)$ for all $f : X \rightarrow Y$. In our examples, we take \mathcal{D} to be \mathbf{Set} . In this case, p is a $\mathbf{SCCompC}$ [18, Sect. 10.5]. The examples we discuss below are instances of the following general result, building on the fact that adjunctions can be lifted to families fibrations [18, Example 1.8.7(i)].

Theorem 3. *Given $F \dashv U : \mathcal{E} \rightarrow \mathbf{Set}$, such that \mathcal{E} has both set-indexed products and coproducts, the fibrations $p : \mathbf{Fam}(\mathbf{Set}) \rightarrow \mathbf{Set}$ and $q : \mathbf{Fam}(\mathcal{E}) \rightarrow \mathbf{Set}$, together with the pointwise lifting of $F \dashv U$, determine a fibred adjunction model.*

In Theorem 3, the set-indexed products and coproducts in \mathcal{E} are assumed to exist in order to define the dependent products and dependent sums in q as

$$\begin{aligned} \Pi_{(X,A)}(\prod_{x \in X} A(x), \underline{C}) &= (X, x \mapsto \prod_{a \in A(x)} \underline{C}(x, a)) \\ \Sigma_{(X,A)}(\prod_{x \in X} A(x), \underline{C}) &= (X, x \mapsto \prod_{a \in A(x)} \underline{C}(x, a)) \end{aligned}$$

The lifting $\hat{F} \dashv \hat{U}$ of $F \dashv U$ is defined by composition, i.e., $\hat{F}(X, A) = (X, F \circ A)$.

The first collection of examples we discuss are based on Eilenberg-Moore algebras (EM-algebras) for a monad (T, η, μ) on \mathbf{Set} . As standard, we write \mathbf{Set}^T for the category of EM-algebras. Its objects are given by pairs (X, α) of a set X and a function $\alpha : TX \rightarrow X$ such that $\alpha \circ T(\alpha) = \alpha \circ \mu_X$ and $\alpha \circ \eta_X = \text{id}_X$; its morphisms $(X, \alpha) \rightarrow (Y, \beta)$ are given by functions $f : X \rightarrow Y$ such that $\beta \circ T(f) = f \circ \alpha$. There is a canonical EM-adjunction $F^T \dashv U^T : \mathbf{Set}^T \rightarrow \mathbf{Set}$.

We note that \mathbf{Set}^T has both set-indexed products and coproducts: \mathbf{Set}^T is complete [4, Theorem 4.3.1] and, assuming the axiom of choice (AC), \mathbf{Set}^T is also cocomplete [4, Theorem 4.3.5]. We note that, without assuming AC, it would suffice to assume that \mathbf{Set}^T has reflexive coequalizers for it to be cocomplete, as first observed by Linton [21]. The set-indexed products in \mathbf{Set}^T are defined from the set-indexed products in \mathbf{Set} by $\prod_{i \in I} (X_i, \alpha_i) = (\prod_{i \in I} X_i, \langle \alpha_i \circ T(\text{proj}_i) \rangle_{i \in I})$. As shown by Linton [21], the set-indexed coproduct $\prod_{i \in I} (X_i, \alpha_i)$ can be defined as the reflexive coequalizer $e : F^T(\prod_{i \in I} X_i) \rightarrow \prod_{i \in I} (X_i, \alpha_i)$ of the diagram

$$F^T(\prod_{i \in I} X_i) \xrightarrow{F^T(\text{[inj}_i \circ \eta_{X_i}]_{i \in I})} F^T(\prod_{i \in I} TX_i) \begin{array}{c} \xrightarrow{F^T(\text{[inj}_i \circ \alpha_i]_{i \in I})} \\ \xrightarrow{\mu_{\prod_{i \in I} X_i} \circ F^T(\text{[T(inj}_i)]_{i \in I})} \end{array} F^T(\prod_{i \in I} X_i)$$

Corollary 1. *Given a monad (T, η, μ) on \mathbf{Set} , the EM-adjunction $F^T \dashv U^T$ and the families fibration $p : \mathbf{Fam}(\mathbf{Set}) \longrightarrow \mathbf{Set}$ determine a fibred adjunction model.*

A particularly well-behaved collection of fibred adjunction models arises from the algebraic treatment of computational effects [31], namely, from monads arising from countable Lawvere theories. These are exactly the monads on \mathbf{Set} that are of countable rank [33, Theorem 2.8]. As discussed in [17], such monads combine easily, in terms of combining the operations and equations of the corresponding countable Lawvere theories. We recall that every countable Lawvere theory \mathcal{L} induces a category $\mathbf{Mod}(\mathcal{L}, \mathbf{Set})$ of models of \mathcal{L} in \mathbf{Set} , with an associated forgetful functor $U_{\mathcal{L}} : \mathbf{Mod}(\mathcal{L}, \mathbf{Set}) \longrightarrow \mathbf{Set}$ [33]. As \mathbf{Set} is locally countably presentable [1], $U_{\mathcal{L}}$ has a left adjoint $F_{\mathcal{L}}$, inducing an equivalence of categories between $\mathbf{Mod}(\mathcal{L}, \mathbf{Set})$ and $\mathbf{Set}^{T_{\mathcal{L}}}$, for $T_{\mathcal{L}} = U_{\mathcal{L}} \circ F_{\mathcal{L}}$. Importantly for us, $\mathbf{Mod}(\mathcal{L}, \mathbf{Set})$ is both complete and cocomplete, e.g., because $T_{\mathcal{L}}$ has countable rank and \mathbf{Set} is complete and cocomplete, see [4, Theorem 4.3.6]. Therefore, $\mathbf{Mod}(\mathcal{L}, \mathbf{Set})$ has set-indexed products and set-indexed coproducts and we get:

Corollary 2. *For any countable Lawvere theory \mathcal{L} , the adjunction $F_{\mathcal{L}} \dashv U_{\mathcal{L}}$ and the families fibration $p : \mathbf{Fam}(\mathbf{Set}) \longrightarrow \mathbf{Set}$ determine a fibred adjunction model.*

Finally, we present two computationally motivated examples arising from Theorem 3 and decompositions of monads (T, η, μ) on \mathbf{Set} into adjunctions other than $F^T \dashv U^T$. In particular, we consider the continuations monad $R^{R^{(-)}}$ and the global state monad $((-) \times S)^S$. These monads can be decomposed into the adjunctions $R^{(-)} \dashv R^{(-)} : \mathbf{Set}^{\text{op}} \longrightarrow \mathbf{Set}$ and $(-) \times S \dashv (-)^S : \mathbf{Set} \longrightarrow \mathbf{Set}$, where \mathbf{Set}^{op} inherits set-indexed products and set-indexed coproducts trivially from \mathbf{Set} .

Corollary 3. *The adjunctions $R^{(-)} \dashv R^{(-)}$ and $(-) \times S \dashv (-)^S$ together with the families fibration $p : \mathbf{Fam}(\mathbf{Set}) \longrightarrow \mathbf{Set}$ determine fibred adjunction models.*

4 Extending the Language with Algebraic Effects

Until now we have not said how computational effects, such as I/O, state, exceptions, etc., arise in our language and how programmers can program with them. In this section, we make the source of computational effects explicit, by drawing ideas from the algebraic treatment of computational effects [31].

4.1 Algebraic Effects in the Syntax

We begin by assuming we are given a *collection of typed operation symbols*

$$\text{op} : (x_{\text{in}} : I) \longrightarrow O$$

where we call $\cdot \vdash I$ the *input type* and $x_{\text{in}} : I \vdash O$ the *output type* of op . We restrict I and O to be *pure value types*, i.e., value types that do not contain U .

We add such operation symbols to our language by extending the syntax of computation terms: for each operation symbol $\text{op} : (x_{\text{in}} : I) \longrightarrow O$, we add algebraic operations $\text{op}_{\underline{V}}^{\underline{C}}(x.M)$, for all \underline{C} , and a generic effect $\text{genop}_{\underline{V}}$, typed as

$$\frac{\Gamma \vdash V : I \quad \Gamma \vdash \underline{C} \quad \Gamma, x : O[V/x_{\text{in}}] \vdash M : \underline{C}}{\Gamma \vdash \text{op}_{\underline{V}}^{\underline{C}}(x.M) : \underline{C}} \quad \frac{\Gamma \vdash V : I}{\Gamma \vdash \text{genop}_{\underline{V}} : F(O[V/x_{\text{in}}])}$$

These operations and generic effects are in 1-to-1 correspondence, as in [30].

The operation symbols we consider can also come equipped with a *collection of equations*, describing their intended computational behaviour. We extend our language with the corresponding equations between computation terms.

Note that we allow the output types of operation symbols to depend on input values. This additional type-dependency is useful for giving more concise representations of collections of standard, simply-typed operations. For example, we can use a boolean-indexed type family and two operation symbols

$$\begin{aligned} \text{lookup} &: (x_{\text{in}} : \text{Bool}) \longrightarrow (\text{if } x_{\text{in}} \text{ then Nat else Bool}) \\ \text{update} &: (x_{\text{in}} : \Sigma x : \text{Bool}. (\text{if } x \text{ then Nat else Bool})) \longrightarrow 1 \end{aligned}$$

as a concise syntax for the four operations of global state with two locations:

$$\text{lookup}_{\text{tt}} : 1 \longrightarrow \text{Nat} \quad \text{update}_{\text{tt}} : \text{Nat} \longrightarrow 1 \quad \text{lookup}_{\text{ff}} : 1 \longrightarrow \text{Bool} \quad \text{update}_{\text{ff}} : \text{Bool} \longrightarrow 1$$

In order to make the computation terms $\text{op}_{\underline{V}}^{\underline{C}}(x.M)$ behave like algebraic operations, we extend our language with a *general algebraicity equation*:

$$\frac{\text{op} : (x_{\text{in}} : I) \longrightarrow O \quad \Gamma \vdash V : I \quad \Gamma, x : O[V/x_{\text{in}}] \vdash M : \underline{C} \quad \Gamma | z : \underline{C} \vdash K : \underline{D}}{\Gamma \vdash K[\text{op}_{\underline{V}}^{\underline{C}}(x.M)/z] = \text{op}_{\underline{V}}^{\underline{D}}(x.K[M/z]) : \underline{D}} (**)$$

Using (**), we can easily prove equations familiar from languages with algebraic effects, e.g. the algebraicity equation for sequential composition from [34, Sect. 3.3]:

$$\Gamma \vdash \text{op}_{\underline{V}}^{FA}(x.M) \text{ to } y : A \text{ in}_{\underline{C}} N = \text{op}_{\underline{V}}^{\underline{C}}(x.(M \text{ to } y : A \text{ in}_{\underline{C}} N)) : \underline{C}$$

We omit handlers of algebraic effects [32] from this paper as a full account, in which the equational properties of handlers are derived from those of homomorphism terms, i.e., from (**), involves extending our language with a further computation type former $\langle A, \{V_{\text{op}}\}_{\text{op}} \rangle$ for user-defined algebras. To make handlers first-class, one extends the language with the type $\underline{C} \multimap \underline{D}$ of homomorphisms, familiar from EEC. We will report on this extension separately elsewhere.

4.2 Algebraic Effects in the Semantics

Following the definition of algebraic operations for a monad in terms of its EM-algebras [30, Sect. 6], we say that a *fibred adjunction model supports algebraic operations* if for all $\text{op} : (x_{\text{in}} : I) \longrightarrow O$, there exist vertical morphisms

$$\llbracket \text{op} \rrbracket_{\underline{C}} : \Sigma_{\{q(\underline{C})\}}^{\Sigma_{\{q(\underline{C})\}}^*} (\llbracket I \rrbracket) (\Pi_{\{\overline{\{q(\underline{C})\}}\}} (\llbracket I \rrbracket\})^* (\llbracket O \rrbracket) (\pi_{\{\overline{\{q(\underline{C})\}}\}}^* (\llbracket I \rrbracket\})^* (\llbracket O \rrbracket) (\pi_{\{q(\underline{C})\}}^* (\llbracket I \rrbracket) (U(\underline{C})))) \longrightarrow U(\underline{C})$$

that are natural in \underline{C} . When combining this naturality with the fact that U is a split fibred functor, it can be shown that the $\llbracket \text{op} \rrbracket_{\underline{C}}$'s are preserved by reindexing. If the given collection of operation symbols also comes with associated equations, these vertical morphisms are additionally required to satisfy these equations.

The classifying model from Sect. 3.2 can be straightforwardly extended: for any $\Gamma = x_1 : A_1, \dots, x_n : A_n$ and $\Gamma \vdash \underline{C}$, the vertical morphisms $\llbracket \text{op} \rrbracket_{\Gamma \vdash \underline{C}}$ are

$$\llbracket \text{op} \rrbracket_{\Gamma \vdash \underline{C}} = (x_1, \dots, x_n, \mathbf{thunk} (\text{op}_{\text{fst } x'}^{\underline{C}} (x.\text{force}_{\underline{C}} ((\text{snd } x') x))))$$

where x' has type $\Sigma x_{\text{in}} : I. \Pi x : O. U \underline{C}$. The naturality of these is proved by using the equations describing the interaction between thinking and forcing, in combination with the general algebraicity equation (**) from Sect. 4.1.

Finally, we note how algebraic operations can be characterised in the fibred adjunction models based on the families fibration and EM-algebras of a monad.

Proposition 2. *The fibred adjunction models from Sect. 3.3, based on the EM-algebras of a monad (T, η, μ) on Set , support algebraic operations if for all operations $\text{op} : (x_{\text{in}} : I) \longrightarrow O$ there exists a family of natural transformations*

$$\left\{ \llbracket \text{op} \rrbracket_i : (U^T(-)) \llbracket O \rrbracket^{((\star, i))} \longrightarrow U^T(-) \right\}_{i \in \llbracket I \rrbracket(\star)}$$

5 Extending the Language with General Recursion

We now show how to extend our language with general recursion, considering it as a computational effect to keep the MLTT fragment of our language effect-free.

5.1 Recursion in the Syntax

We start by extending our language with a new computation term, the *fixed point operation* $\mu x : U \underline{C}. M$. The corresponding typing rule is given by

$$\frac{\Gamma, x : U \underline{C} \vdash M : \underline{C}}{\Gamma \vdash \mu x : U \underline{C}. M : \underline{C}}$$

We also extend the language's equational theory with unfolding of fixed points:

$$\Gamma \vdash \mu x : U \underline{C}. M = M[\mathbf{thunk} (\mu x : U \underline{C}. M)/x] : \underline{C}$$

Finally, we also alter the definition of identity types $\text{Id}_{A_{\text{disc}}}(V, W)$, restricting them to be over *discrete value types*, to be able to interpret this extended language in models based on continuous families of cpos. These discrete types are

$$A_{\text{disc}}, B_{\text{disc}} ::= \text{Nat} \mid \Sigma x : A_{\text{disc}}. B_{\text{disc}} \mid 1 \mid \Pi x : A. B_{\text{disc}} \mid \text{Id}_{A_{\text{disc}}}(V, W)$$

5.2 Domain-Theoretic Semantics for Recursion

We build the denotational semantics for the language with recursion around the *SCCompC of continuous families* $p : \text{CFam}(\mathcal{CPO}) \longrightarrow \mathcal{CPO}$ [18, Sect. 10.6].

Compared to [18], we use ω -complete partial orders instead of directed-complete partial orders, because the former constitute a locally countably presentable category, whereas the latter do not [1, Example 1.14(4)]; and we need local presentability for fibred adjunction models based on the algebraic treatment of computational effects. An overview of the relevant domain theory can be found in [11, 29].

We recall that the objects of $\mathbf{CFam}(\mathcal{CPO})$ are pairs (X, A) of a cpo X and a continuous functor $A : X \rightarrow \mathcal{CPO}^{\text{EP}}$ (a *continuous family*), treating X as a category and valued in the category of embedding-projection pairs. The morphisms $(X, A) \rightarrow (Y, B)$ are pairs $(f, \{g_x\}_{x \in |X|})$ of a continuous function $f : X \rightarrow Y$ and a family of continuous functions $\{g_x : A(x) \rightarrow B(f(x))\}_{x \in |X|}$, satisfying

$$\begin{aligned} x_1 \sqsubseteq_X x_2 &\implies B(f(x_1 \sqsubseteq_X x_2))^e \circ g_{x_1} \sqsubseteq_{B(f(x_2))^{A(x_1)}} g_{x_2} \circ A(x_1 \sqsubseteq_X x_2)^e \\ \langle x_n \rangle \text{ incr. } \omega\text{-chain} &\implies g_{\bigvee_n x_n} = \bigvee_n (B(f(x_n \sqsubseteq_X \bigvee_n x_n)))^e \circ g_{x_n} \circ A(x_n \sqsubseteq_X \bigvee_n x_n)^p \end{aligned}$$

The dependent products and strong dependent sums are defined by using the cpo-indexed products $\prod_X A$ and coproducts $\coprod_X A$ in \mathcal{CPO} , which are given by

$$\begin{aligned} \prod_X A &= (\prod_{x \in |X|} |A(x)|, \langle x_1, a_1 \rangle \sqsubseteq \langle x_2, a_2 \rangle \text{ iff } x_1 \sqsubseteq_X x_2 \text{ and } A(x_1 \sqsubseteq_X x_2)^e(a_1) \sqsubseteq a_2) \\ \coprod_X A &= (\{f : X \rightarrow \prod_X A \mid \text{fst} \circ f = \text{id}_X\}, f_1 \sqsubseteq f_2 \text{ iff } \forall x \in |X|. f_1(x) \sqsubseteq_{\prod_X A} f_2(x)) \end{aligned}$$

For identity types, we require A to be a continuous family of discrete cpos, matching the changes we made in the syntax of our language, and then define

$$\text{id}_{(X,A)} = (\{\pi_{(X,A)}^*(X, A)\}, \langle x, a, a' \rangle \mapsto \prod_{\{\star \mid a=a'\}} 1)$$

The discreteness of A is necessary for $\langle x, a, a' \rangle \mapsto \prod_{\{\star \mid a=a'\}} 1$ to constitute a continuous functor: if A would not be discrete, then from $\langle x_1, a_1, a'_1 \rangle \sqsubseteq \langle x_2, a_2, a'_2 \rangle$ and $a_1 = a'_1$ it would not follow that $a_2 = a'_2$, and vice versa, which we need for defining the embedding-projection pair between $\prod_{\{\star \mid a_1=a'_1\}} 1$ and $\prod_{\{\star \mid a_2=a'_2\}} 1$.

For modeling computation terms involving recursion, we assume a \mathcal{CPO} -enriched monad (T, η, μ) on \mathcal{CPO} , such that its EM-algebras are pointed and the morphisms between them are strict; or equivalently, we assume that the given monad supports a least zero-ary algebraic operation, in the sense of [30, Sect. 6]. For modeling computational Σ -types, we further assume that \mathcal{CPO}^T has reflexive coequalizers. We can then model our computation types in the split fibration $q : \mathbf{CFam}(\mathcal{CPO}^T) \rightarrow \mathcal{CPO}$, defined analogously to p above. Monads satisfying these conditions arise naturally from the algebraic treatment of computational effects: from \mathcal{CPO} -enriched countable Lawvere theories [17] with a least constant.

The dependent products and sums in q , with respect to p , are defined using the cpo-indexed products and coproducts in \mathcal{CPO}^T . First, the cpo-indexed product $\prod_X \underline{C}$ in \mathcal{CPO}^T is directly inherited from \mathcal{CPO} , being defined on the carrier $\prod_X (U^T \circ \underline{C})$. On the other hand, analogously to Sect. 3.3, the cpo-indexed coproduct $\coprod_X \underline{C}$ cannot be defined simply by taking $\prod_X (U^T \circ \underline{C})$ as the carrier. Instead, we construct $\prod_X \underline{C}$ as the reflexive coequalizer for a diagram similar to the one used in Sect. 3.3, with the difference that here we would use the free algebras over cpo-indexed coproducts rather than over set-indexed coproducts.

Despite having a more complex categorical definition, the cpo-indexed coproducts in $\mathcal{CP}\mathcal{O}^T$ have the same universal property as those in $\mathcal{CP}\mathcal{O}$. We first recall Jacobs’s remark [18, Sect.10.6] that $\coprod_X A$ results from applying the Grothendieck construction to A . By a result of Gray [12], $\coprod_X A$ can also be understood as the oplax colimit of A in $\mathcal{CP}\mathcal{O}$. In $\mathcal{CP}\mathcal{O}^T$, the situation is analogous:

Proposition 3. $\coprod_X \underline{C}$ is the oplax colimit of $\underline{C} : X \longrightarrow (\mathcal{CP}\mathcal{O}^T)^{EP}$ in $\mathcal{CP}\mathcal{O}^T$.

Similarly to Sect. 3.3, the split fibred adjunction $F \dashv U : q \longrightarrow p$ is defined from $F^T \dashv U^T$ by post-composition, i.e., by setting $F(X, A) = (X, F^T \circ A)$, where $F^T \circ A$ is a continuous functor because of the $\mathcal{CP}\mathcal{O}$ -enrichment of F^T and the limit-colimit coincidences in $\mathcal{CP}\mathcal{O}^{EP}$ and $(\mathcal{CP}\mathcal{O}^T)^{EP}$. U is defined analogously.

We interpret our language as discussed in Sect. 3.2, except for recursion:

$$\llbracket \Gamma; \mu x : U \underline{C}. M \rrbracket = (\text{id}_{\llbracket \Gamma \rrbracket}, \{x \in |1| \mapsto \mu(g_\gamma)\}_{\gamma \in \llbracket \Gamma \rrbracket}\}) : (\llbracket \Gamma \rrbracket, \gamma \mapsto 1) \longrightarrow (\llbracket \Gamma \rrbracket, U^T \circ \llbracket \Gamma; \underline{C} \rrbracket)$$

where we use the least fixed points of the family of continuous functions $\{g_\gamma : U^T(\llbracket \Gamma; \underline{C} \rrbracket)(\gamma) \longrightarrow U^T(\llbracket \Gamma; \underline{C} \rrbracket)(\gamma)\}_{\gamma \in \llbracket \Gamma \rrbracket}$, determined by a vertical morphism $(\llbracket \Gamma \rrbracket, U^T \circ \llbracket \Gamma; \underline{C} \rrbracket) \longrightarrow (\llbracket \Gamma \rrbracket, U^T \circ \llbracket \Gamma; \underline{C} \rrbracket)$ we derive from $\llbracket \Gamma, x : U \underline{C}; M \rrbracket$. The least fixed points of g_γ ’s are guaranteed to exist because our assumptions about $\mathcal{CP}\mathcal{O}^T$ make every $U^T \circ \llbracket \Gamma; \underline{C} \rrbracket$ into a continuous family of pointed cpos.

Theorem 4. Given a monad (T, η, μ) on $\mathcal{CP}\mathcal{O}$ satisfying the conditions given in this section, the fibred adjunction model built from $p : \mathbf{CFam}(\mathcal{CP}\mathcal{O}) \longrightarrow \mathcal{CP}\mathcal{O}$ and $F^T \dashv U^T$ is a model of the equational theory extended with fixed point unfolding.

Finally, we note that the other obvious candidate $\text{cod} : \mathcal{CP}\mathcal{O}^\rightarrow \longrightarrow \mathcal{CP}\mathcal{O}$, even if made split [8, 14], is not a SCompC , because of [18, Theorem 10.5.5] and:

Proposition 4. $\mathcal{CP}\mathcal{O}$ is not locally Cartesian closed.

In particular, the condition that every base change functor has to have a right adjoint fails because some of these functors do not preserve all colimits, e.g., given a non-empty cpo X , the pullback of the epimorphism $n \mapsto n : \mathbb{N}_= \longrightarrow \mathbb{N}_\omega$ in $\mathcal{CP}\mathcal{O}/\mathbb{N}_\omega$ along the constant map $x \mapsto \omega : X \longrightarrow \mathbb{N}_\omega$ is not an epimorphism.

6 Conclusions and Future Work

We addressed the problem of finding a mathematically natural combination of dependent types and computational effects. We were motivated by: (i) the success similar foundations have had in driving the study of computational effects in the simply-typed setting; and (ii) the success of dependently-typed programming in generating a number of concrete attempts to combine dependent types with computational effects. Our solution is mathematically natural, combining comprehension categories, arising from the semantics of dependent types, with adjunctions, arising from the semantics of computational effects. It is also

general, covering a variety of algebraic and non-algebraic effects, and can be extended to accommodate general recursion. For future work, a natural next step is to investigate operational semantics, leading towards an implementation.

We are also working on a fibred generalisation of Atkey’s parametrised notions of computation [2], aiming at a semantic account of the effects in Idris [5, 6].

References

1. Adamek, J., Rosicky, J.: *Locally Presentable and Accessible Categories*. London Mathematical Society Lecture Note Series. Cambridge University Press, Cambridge (1994)
2. Atkey, R.: Algebras for parameterised monads. In: Kurz, A., Lenisa, M., Tarlecki, A. (eds.) *CALCO 2009*. LNCS, vol. 5728, pp. 3–17. Springer, Heidelberg (2009)
3. Benton, P.N.: A mixed linear and non-linear logic: proofs, terms and models. In: Pacholski, L., Tiuryn, J. (eds.) *CSL 1994*. LNCS, vol. 933. Springer, Heidelberg (1995)
4. Borceux, F.: *Handbook of Categorical Algebra. Categories and Structures*, vol. 2. Cambridge University Press, Cambridge (1994)
5. Brady, E.: Programming and reasoning with algebraic effects and dependent types. In: Morrisett, G., Uustalu, T. (eds.) *Proceedings of 18th International Conference on Functional Programming, ICFP 2013*, pp. 133–144. ACM (2013)
6. Brady, E.: Resource-dependent algebraic effects. In: Hage, J., McCarthy, J. (eds.) *TFP 2014*. LNCS, vol. 8843, pp. 18–33. Springer, Heidelberg (2015)
7. Casinhino, C., Sjöberg, V., Weirich, S.: Combining proofs and programs in a dependently typed language. In: Sewell, P. (ed.) *Proceedings of 41st Annual Symposium on Principles of Programming Languages, POPL 2014*, pp. 33–45. ACM (2014)
8. Clairambault, P., Dybjer, P.: The biequivalence of locally cartesian closed categories and martin-löf type theories. In: Ong, L. (ed.) *Typed Lambda Calculi and Applications*. LNCS, vol. 6690, pp. 91–106. Springer, Heidelberg (2011)
9. Egger, J., Møgelberg, R.E., Simpson, A.: The enriched effect calculus: syntax and semantics. *J. Log. Comput.* **24**(3), 615–654 (2014)
10. Ghani, N., Johann, P., Fumex, C.: Indexed induction and coinduction, fibrationally. *Logical Methods Comput. Sci.* **9**(3:6), 1–31 (2013). doi:[10.2168/LMCS-9\(3:6\)2013](https://doi.org/10.2168/LMCS-9(3:6)2013)
11. Gierz, G., Hofmann, K.H., Keimel, K., Lawson, J.D., Mislove, M., Scott, D.S.: *Continuous Lattices and Domains*. Cambridge University Press, Cambridge (2003)
12. Gray, J.W.: The categorical comprehension scheme. In: Gray, J.W. (ed.) *Category Theory, Homology Theory and Their Applications III*. Lecture Notes in Mathematics, vol. 99, pp. 242–312. Springer, Heidelberg (1969)
13. Hancock, P., Setzer, A.: Interactive programs in dependent type theory. In: Clote, P.G., Schwichtenberg, H. (eds.) *CSL 2000*. LNCS, vol. 1862, pp. 317–331. Springer, Heidelberg (2000)
14. Hofmann, M.: On the interpretation of type theory in locally cartesian closed. In: Pacholski, L., Tiuryn, J. (eds.) *CSL 1994*. LNCS, vol. 933, pp. 427–441. Springer, Heidelberg (1995)
15. Hofmann, M.: Syntax and semantics of dependent types. In: Pitts, A.M., Dybjer, P. (eds.) *Semantics and Logics of Computation*, pp. 79–130. Cambridge University Press, Cambridge (1997)

16. Hutton, G., Meijer, E.: Monadic parsing in Haskell. *J. Funct. Program.* **8**(4), 437–444 (1998)
17. Hyland, M., Plotkin, G., Power, J.: Combining effects: sum and tensor. *Theor. Comput. Sci.* **357**(1–3), 70–99 (2006)
18. Jacobs, B.: *Categorical Logic and Type Theory*. Studies in Logic and the Foundations of Mathematics, vol. 141. North Holland, Amsterdam (1999)
19. Krishnaswami, N.R., Pradic, P., Benton, N.: Integrating linear and dependent types. In: Walker, D. (ed.) *Proceedings of 42nd Annual Symposium on Principles of Programming Languages, POPL 2015*, pp. 17–30. ACM (2015)
20. Levy, P.B.: *Call-By-Push-Value: A Functional/Imperative Synthesis*. Semantics Structures in Computation, vol. 2. Springer, Heidelberg (2004)
21. Linton, F.: Coequalizers in categories of algebras. In: Eckmann, B. (ed.) *Seminar on Triples and Categorical Homology Theory*. Lecture Notes in Mathematics, vol. 80, pp. 75–90. Springer, Heidelberg (1969)
22. Martin-Löf, P.: An intuitionistic theory of types, predicative part. In: Rose, E., Shepherdson, J.C. (eds.) *Proceedings of Logic Colloquium 1973*, pp. 73–118. North-Holland (1975)
23. McBride, C.: Functional pearl: Kleisli arrows of outrageous fortune. *J. Funct. Program.* (To appear)
24. Moggi, E.: Computational lambda-calculus and monads. In: Parikh, R. (ed.) *Proceedings of 4th Annual Symposium on Logic in Computer Science, LICS 1989*, pp. 14–23. IEEE (1989)
25. Moggi, E.: Notions of computation and monads. *Inf. Comput.* **93**(1), 55–92 (1991)
26. Nanevski, A., Morrisett, G., Birkedal, L.: Hoare type theory, polymorphism and separation. *J. Funct. Program.* **18**(5–6), 865–911 (2008)
27. Pitts, A.M.: Categorical logic. In: Abramsky, S., Gabbay, D.M., Maibaum, T.S.E. (eds.) *Handbook of Logic in Computer Science. Algebraic and Logical Structures*, vol. 5, pp. 39–128. Oxford University Press, Oxford (2000). chap. 2
28. Pitts, A.M., Matthiesen, J., Derikx, J.: A dependent type theory with abstractable names. In: Mackie, I., Ayala-Rincon, M. (eds.) *Proceedings of 9th Workshop on Logical and Semantic Frameworks, with Applications, LSFA 2014*. ENTCS, vol. 312, pp. 19–50. Elsevier (2015)
29. Plotkin, G.: *Pisa notes (on domain theory)* (1983)
30. Plotkin, G., Power, J.: Semantics for algebraic operations. In: Brookes, S., Mislove, M. (eds.) *Proceedings of 17th Conference on the Mathematical Foundations of Programming Semantics, MFPS XVII*. ENTCS, vol. 45, pp. 332–345. Elsevier (2001)
31. Plotkin, G., Power, J.: Notions of computation determine monads. In: Nielsen, M., Engberg, U. (eds.) *FOSSACS 2002*. LNCS, vol. 2303, pp. 342–356. Springer, Heidelberg (2002)
32. Plotkin, G.D., Pretnar, M.: Handling algebraic effects. *Logical Methods Comput. Sci.* **9**(4:23), 1–36 (2013). doi:[10.2168/LMCS-9\(4:23\)2013](https://doi.org/10.2168/LMCS-9(4:23)2013)
33. Power, J.: Countable Lawvere theories and computational effects. In: Seda, A.K., Hurley, T., Schellekens, M., Aircinnigh, M.M., Strong, G. (eds.) *Proceedings of 3rd Irish Conference on the Mathematical Foundations of Computer Science and Information Technology, MFCSIT 2004*. ENTCS, vol. 161, pp. 59–71. Elsevier (2006)
34. Pretnar, M.: *The Logic and Handling of Algebraic Effects*. Ph.D. thesis, School of Informatics, University of Edinburgh (2010)

35. Staton, S.: Instances of computational effects: an algebraic perspective. In: Kupferman, O. (ed.) Proceedings of 28th Annual Symposium on Logic in Computer Science, LICS 2013, pp. 519–519. IEEE, June 2013
36. Streicher, T.: *Semantics of Type Theory*. Birkhäuser, Boston (1991)
37. Swamy, N., Weinberger, J., Schlesinger, C., Chen, J., Livshits, B.: Verifying higher-order programs with the Dijkstra monad. In: Flanagan, C. (ed.) Proceedings of 34th Conference on Programming Language Design and Implementation, PLDI 2013, pp. 387–398. ACM (2013)
38. Vákár, M.: A categorical semantics for linear logical frameworks. In: Pitts, A. (ed.) FOSSACS 2015. LNCS, vol. 9034, pp. 102–116. Springer, Heidelberg (2015)
39. Warren, M.A.: *Homotopy Theoretic Aspects of Constructive Type Theory*. Ph.D. thesis, Department of Philosophy, Carnegie Mellon University (2008)