× *Biltanthus* BROMELIACEAE

U. Eggli

× ***Biltanthus*** Hort. Roehr (Exotics, Cat. Julius Roehrs Comp., [], 1947). — **Lit:** Butcher (2013). **Distr:** Cultivated only.

Incl. × *Cryptbergia* Anonymus (1952).

= *Billbergia* × *Cryptanthus*. For long known as × *Cryptbergia*, the change of name is necessary because of nomenclatural priority (Butcher 2013). Smith & Downs (1979: 1604, as × *Cryptbergia*) mention the hybrids *C. bahianus* × *B. nutans* (= × *Cryptbergia* ‘Red Burst’ = × *Cryptbergia rubra* hort.) and *C. beuckeri* × *B. nutans* (= × *Cryptbergia meadii* B. & C. Wilson 1963 = × *Cryptbergia* ‘Mead’). Smith (1983) mentions a couple of additional cultivars, and several more have become known since

(Butcher 2013). Plants are usually intermediate between the parents, i.e. the leaves are more ascending-spreading in the hybrids in comparison with the *Cryptanthus* parent, but far shorter than in *Billbergia nutans*.

References

- Butcher, D. (2013) × *Biltanthus*. J. Bromeliad Soc. 62(4): 173–176, ill.
- Smith, E. L. (1983) Bigeneric hybrids — A listing. J. Bromeliad Soc. 33(2): 69–75. <http://journal.bsi.org/V33/2/>
- Smith, L. B. & Downs, R. J. (1979) Flora Neotropica. Monograph No. 14 [*Bromeliaceae*]. Part 3: *Bromelioideae*. New York (US): Hafner Press & New York Botanical Garden. <http://www.jstor.org/stable/i399940>

U. Eggli (✉)
Sukkulanten-Sammlung Zürich, Grün Stadt Zürich,
Zürich, Switzerland
e-mail: Urs.Eggli@zuerich.ch