Errata

Prothymosin α gene in humans: organization of its promoter region and localization to chromosome 2

**P. Szabo¹, C. Panneerselvam², M. Clinton², M. Frangou-Lazaridis², D. Weksler¹, E. Whittington¹,
M. J. Macera⁴, K.-H. Grzeschik⁵, A. Selvakumar³, B. L. Horecker²**

¹ Division of Geriatrics and Gerontology, Department of Medicine, Cornell University Medical College, New York, NY 10021, USA

² Department of Biochemistry, Cornell University Medical College, New York, NY 10021, USA

³ Immunogenetics Laboratory, Memorial Sloan-Kettering Cancer Center, New York, NY 10021, USA

⁴ Department of Genetics, Long Island College Hospital, Brooklyn, NY 11201, USA

⁵ Institut für Humangenetik, Klinikum der Philipps-Universität Marburg, Marburg, Germany

Hum Genet (1993) 90:629–634

A line was omitted from the second paragraph of the Introduction on p. 629. The last sentence should read as follows:

The finding that prothymosin alpha is covalently bound to a small RNA molecule (Makarova et al. 1991) suggests that prothymosin alpha, as has been reported from another ribonuclear protein (Beru et al. 1990), may also function as a regulator of RNA transcription.