Erratum

Quantitative immunogold ultracryomicrotome studies of the distribution of periimplantation proteins in the sheep

F.B.P. Wooding¹, G. Morgan¹, and R.M. Roberts²

¹ AFRC Institute of Animal Physiology and Genetics Research, Babraham, Cambridge CB2 4AT, UK

² Department of Animal Science, University of Missouri, Columbia, MS 65211, USA

Cell Tissue Res (1991) 265:83–93

In Table 1 on p. 84 of the above article, the column “Uninucleate chorion” should have been “Uterine epithelium.” The entire table is reprinted below.

Table 1. Intensity of immunogold labelling for OTP-1 (gold particles/ μm^2) over the various tissues and organelles on ultrathin frozen sections of sheep conceptuses and uterine epithelium

	14 dpc caruncle	15 dpc caruncle	16 dpc caruncle	17 dpc caruncle	19 dpc caruncle	24 dpc caruncle	41 dpc caruncle	41 dpc inter- caruncle	14 dpc caruncle absorbed control
Uninucleate chorion									
Crystal	18 ± 3 (31)	20 ± 2 (15)	29 ± 3 (35)	13 ± 1 (54)	24 ± 2 (24)	8 ± 1 (14)	None found	16 ± 2 (15)	23 ± 2 (12)
Cytoplasm	4 ± 0.5 (56)	3 ± 0.5 (30)	8 ± 1 (58)	1 ± 0.5 (63)	1 ± 0.5 (34)	1 ± 0.5 (17)	1 ± 0.5 (17)	1 ± 0.5 (11)	1 ± 0.5 (13)
Nuclei	1 ± 0.5 (25)	1 ± 0.5 (25)	3 ± 0.5 (50)	1 ± 0.5 (57)	1 ± 0.5 (45)	2 ± 0.5 (17)	1 ± 0.5 (16)	1 ± 0.5 (13)	1 ± 0.5 (17)
Golgi	62 ± 4 (31)	30 ± 2 (17)	48 ± 3 (37)	4 ± 1 (81)	2 ± 0.5 (40)	1 ± 0.5 (13)	1 ± 0.5 (16)	1 ± 0.5 (13)	3 ± 0.5 (13)
Binucleate chorion				All areas < 1 except 17 dpc: crystal: 9 ± 1 (41)					
Uterine epithelium				Cytoplasm, nuclei, Golgi all < 2					
Crystal				9 ± 1 (10)	9 ± 1 (27)	7 ± 1 (15)			
Syncytium	None present before 19 dpc after which syncytium, cytoplasm, nuclei, Golgi all < 2 but crystal: 20 ± 1 (15) 12 ± 2 (15) Allantois cytoplasm, nuclei, Golgi all < 1								

Frequencies are given mean ± SEM, numbers in brackets indicate the number of 1 μm^2 areas counted