Erratum

Colour development of immunogold-labelled antibodies for light microscopy

**P. Fritz¹, J. Hoenes², J. Schenk², A. Mischlinski¹, A. Grau¹, J.G. Saal³, H.V. Tuczec¹,
H. Multhaupt¹, and G. Pfeiderer²**

¹ Robert-Bosch-Krankenhaus, Pathologische Abteilung und Abteilung für Hämatologie und Onkologie, D-7000 Stuttgart, Federal Republic of Germany

² Biochemisches Institut der Universität Stuttgart, D-7000 Stuttgart, Federal Republic of Germany

³ Medizinische Universitätsklinik Tübingen, Abteilung I, D-7400 Tübingen, Federal Republic of Germany

Histochemistry (1986) 85:209–214

Two passages in this article unfortunately contained errors: On p. 209, the sentence starting on line 5 and ending on line 13 of the Introduction should read:

“By combining one of the tested immunohistochemical methods with the immunogold method of Gu et al. (1980), two final reaction products were obtained: brown-red for the peroxidase/anti-peroxidase (PAP) complex and black for the immunogold-labelled antibodies developed using the silver-intensification (SIG) method recently described by several authors (Holgate et al. 1983; Springall et al. 1984;

Hacker et al. 1985; van den Pol 1985). This method is based on the physical development of metallic gold, as described by Danscher (1981 a, b).”

On p. 212, the sentence starting on line 6 and ending on line 10 of the Discussion should read:

“The decisive step in the use of this method in light microscopy, however, was the introduction of silver intensification of the colloidal-gold-labelled secondary antibody or gold-labelled protein-A (Holgate et al. 1983; Springall et al. 1984; Hacker et al. 1985; van den Pol 1985).”