Erratum

European J. Appl. Microbiol. Biotechnol. 5, 13–16 (1978):

Immobilization of Glycolysis System of Yeasts and Production of Cytidine Diphosphate Choline

Akira Kimura¹, Yoshinori Tatsutomi², Naoki Mizushima², Atsuo Tanaka³,
Ryu'ichi Matsuno², and Hirosuke Fukuda¹

¹The Research Institute for Food Science, Kyoto University, Uji, Kyoto 611, Japan

²Department of Food Science and Technology, Faculty of Agriculture, Kyoto University,
Kyoto 606, Japan

³Department of Industrial Chemistry, Faculty of Engineering, Kyoto University, Kyoto 606,
Japan

On page 13 the structural formula should have been labeled Figure 1. The legend should have read: According to the number of n, various polymerized compounds with different average molecular weight (M. W.) were prepared, for example, average M. W. 1000, 2000, 4000, and 6000, but only M. W. 1000 was good for entrapping the whole enzyme system

Figure 1 on page 14 should have been Figure 2.

The second sentence in the last paragraph on page 14 should have read: Only the smallest one (average M. W. = 1000) effectively entrapped whole enzymes as shown in Figure 3.

The figure at the top of page 15 should have been Figure 3.

The legend should have read: The reaction was carried out by the cells immobilized in ENT of M. W. 1000. After 3, 6, and 9 h in the first reaction, the immobilized cells were separated by centrifugation, washed 3 times with deionized water and reused in the fresh reaction mixture containing 2 mM ATP, and 2 mM NAD in addition to the usual components (although ATP was not always necessary).

The figure at the bottom of page 15 should have been Figure 4.

The legend should have read: The immobilized cells were kept at 4°C for the days indicated (2, 7, and 14 days), then the cells were used as described in the legend for Figure 3. The cells were reused after 3 h reaction