- [44] PHILIPP, H. R., and E. A. TAFT: J. Physics Chem. Solids **1**, 159 (1956); **3**, 1 (1957).
 — — Physic. Rev. **106**, 671 (1957).
 [45] PHILLIPS, J. C.: Physic. Rev. **136**, A 1705, A 1721 (1964).
 [46] PICK, H.: In LANDOLT-BÖRNSTEIN: Zahlenwerte und Funktionen (Hrsg. K. H. HELL-
 WEGE), S. 869, I. Band, 4. Teil, 6. Aufl. Berlin, Göttingen, Heidelberg: Springer 1955.
 [47] PLATZMAN, R., u. J. FRANCK: Z. Physik **138**, 411 (1954).
 [48] PORTER, G. B., u. H. L. SCHLÄFER: Ber. Bunsenges. f. phys. Chem. (früher Z. Elektro-
 chem.) **68**, 316 (1964).
 [49] RABINOWITCH, E.: Revs. mod. Physics **14**, 112 (1942).
 [50] SCHEIBE, G.: Z. phys. Chem. (B) **5**, 355 (1929);
 — Naturwissenschaften **17**, 86 (1929).
 [51] SCHOKNECHT, G.: Z. Naturforsch. **12a**, 983 (1957).
 [52] SEITZ, F.: [a] The Modern Theory of Solids. New York, London: McGraw-Hill Book
 Company, Inc., 1940;
 — [b] J. chem. Physics **6**, 150 (1938).
 [53] SLATER, J. C.: J. Physics Chem. Solids **8**, 21 (1959).
 [54] WANNIER, G. H.: Physic Rev. **52**, 191 (1937).

(Eingegangen am 19. November 1965)

Annotationes et Errata

Porphyrins. IV. Extended Hückel Calculations on Transition Metal Complexes

Theoret. chim. Acta (Berl.) **4**, 44 (1966)

By

M. ZERNER and M. GOUTERMAN

Eq. (4), page 46, should read

$$H_{pq} = \langle \chi_p | H_{eff} | \chi_q \rangle = \frac{1}{2} (H_{pp} + H_{qq}) S_{pq} [\kappa + (1 - \kappa) \delta_{pq}].$$

Valency Structures for N_2O_4

Theoret. chim. Acta (Berl.) **2**, 437—452 (1964)

By

R. D. HARCOURT

p. 444 Line 17 down: Read VII for II.

p. 445 Table 1: Headings should be i, ii, iii and iv.

p. 447 Line 2 up: Read an orthogonal for orthogonal an.

p. 449 Line 15 down: Read ϕ for ψ

p. 451 Line 10 down: Read $\left(\frac{s_2 + s_4}{\sqrt{2}}\right)^2$ for $\left(\frac{s_2 + s_4}{2}\right)^2$

Valency Structures for Oxalate and Dithionite Anions and Dimers of Nitrosoalkanes

Theoret. chim. Acta (Berl.) **3**, 194—201 (1965)

By

R. D. HARCOURT

p. 195 Table 1: first row: 0.32 for 0.32.

p. 196 Table 2: The $C_2O_4^{2-}$ weights have been incorrectly reported — they obtain for $\mu = 0.5$ instead of 0.6. For $\mu = 0.6$, the weights reported as 0.32, 0.16 and 0.02 should read 0.28, 0.19 and 0.03. The weights 0.24, —0.06 and 0.32 become 0.19, —0.07 and 0.38. These alterations do not affect the conclusions of the paper.

p. 199 Line 23 down: Read

$$\left| \varphi_4^\alpha \left(\frac{\varphi_4 + \varphi_3}{\sqrt{2}} \right)^\beta \varphi_3^\alpha \varphi_2^\beta \left(\frac{\varphi_1 + \varphi_2}{\sqrt{2}} \right)^\alpha \varphi_1^\beta \right|$$

for

$$\left| \varphi_4^\alpha \left(\frac{\varphi_4 + \varphi_3}{\sqrt{2}} \right)^\beta \varphi_3^\alpha \varphi_3^\beta \left(\frac{1}{\sqrt{2}} \right)^\alpha \varphi_1^\beta \right|$$

p. 200 Line 2 of footnote: Read σ_4- for σ_2- .