Errata

SCALE ESTERASE:
A Pheromone-Degrading Enzyme from Scales of Silk Moth
Antheraea polyphemus

RICHARD G. VOGT and LYNN M. RIDDIFORD

Readers should note the following correction to this article which appeared in *J. Chem. Ecol.* 12:469–482 (1986).

On p. 482 the reference to Vogt and Riddiford (1986) should read:

VOGT, R.G., and RIDDIFORD, L.M. 1986. Pheromone reception: A kinetic equilibrium, pp. 201–208, in T.L. Payne, M.C. Birch, and C.E.J. Kennedy (eds.). *Mechanisms in Insect Olfaction*. Clarendon Press, Oxford.

Lespedeza PHENOLICS AND *Penstemon* ALKALOIDS:
Effects on Digestion Efficiencies and Growth of Voles

RICHARD L. LINDROTH, GEORGE O. BATZLI, and
SUSAN I. AVILDSSEN

Several errors were incorporated into the final printed version of the above article's Table 3 *J. Chem. Ecol.* 12:713–728 (1986). The corrected version of this table is shown below.

TABLE 3. MEAN (± 1 SE) CONSUMPTION AND DIGESTIBILITY OF *Lespedeza*, *Penstemon*, AND CONTROL DIETS BY SUBADULT VOLES*

Species and diet	Ingested dry matter (mg/g BW ^{0.5} /day)	Dry matter digestibility (%)	Digested dry matter (mg/g BW ^{0.5} /day)	Apparent protein digestibility (%)	Protein digested (mg/g BW ^{0.5} /day)
<i>Lespedeza</i> digestibility trials					
Prairie vole					
Control (10)	905 $\pm$ 43 ^{a,**}	58.3 $\pm$ 0.9 ^g	528 $\pm$ 26 ⁱ	77.5 $\pm$ 1.2 ^o	67.2 $\pm$ 3.2 ^s
<i>Lespedeza</i> (10)	1076 $\pm$ 44 ^{a,b,**}	51.3 $\pm$ 0.9 ^f	555 $\pm$ 29 ^j	33.3 $\pm$ 2.1 ^m	34.0 $\pm$ 3.0 ^r
Meadow vole					
Control (10)	974 $\pm$ 47 ^{a,b}	58.3 $\pm$ 1.2 ^g	567 $\pm$ 28 ⁱ	71.3 $\pm$ 1.3 ⁿ	66.6 $\pm$ 3.5 ^s
<i>Lespedeza</i> (10)	1124 $\pm$ 92 ^b	51.7 $\pm$ 0.8 ^f	576 $\pm$ 42 ^j	32.2 $\pm$ 1.8 ^m	34.8 $\pm$ 2.5 ^r
<i>Penstemon</i> digestibility trials					
Prairie vole					
Control (4)	851 $\pm$ 27 ^c	57.6 $\pm$ 0.5 ^h	490 $\pm$ 13 ^j	77.2 $\pm$ 1.9 ^q	62.9 $\pm$ 3.1 ^t
<i>Penstemon</i> (6)	982 $\pm$ 32 ^d	58.5 $\pm$ 0.9 ^h	573 $\pm$ 18 ^k	75.8 $\pm$ 1.4 ^q	71.2 $\pm$ 2.0 ^t
Meadow vole					
Control (6)	1125 $\pm$ 44 ^c	58.1 $\pm$ 0.5 ^h	654 $\pm$ 24 ^j	65.4 $\pm$ 3.8 ^p	71.0 $\pm$ 6.6 ^t
<i>Penstemon</i> (7)	1099 $\pm$ 45 ^{d,e}	57.5 $\pm$ 0.5 ^h	632 $\pm$ 27 ^j	71.9 $\pm$ 2.9 ^p	76.0 $\pm$ 5.1 ^t

*Values within each digestibility trial-performance category that bear different superscripts are significantly different (LSD test, $P < 0.05$). Sample sizes are shown in parentheses.

**Ingestion rates for prairie voles in the *Lespedeza* trial are significantly different at $P < 0.055$.