References

1. Ouchterlony, Ö., Nilsson, L. Å.: Immunodiffusion and immuno-electrophoresis. In: Weir, W. M. (ed.): Handbook of experimental immunology (vol 1). Blackwell Scientific Publications, Oxford 1973, pp. 19.1–19.39.
2. Todd, J., Fishaut, M.: Toxic-shock syndrome associated with phage-group-I staphylococci. *Lancet* ii (1978) 1116–1118.
3. Centers for Disease Control: Follow-up on toxic-shock syndrome. *MMWR* 29 (1980) 441–445.
4. Parsonnet, J., Gillis, Z. A., Pier, B.: Induction of interleukin-1 by strains of *Staphylococcus aureus* from patients with nonmenstrual toxic shock syndrome. *J. Infect. Dis.* 154 (1986) 55–63.
5. Kass, E. H., Parsonnet, J.: On the pathogenesis of toxic shock syndrome. *J. Infect. Dis.* 9 (1987) S482–S489.
6. Reingold, A. L., Hargrett, N. T., Dan, B. B., Shands, K. N., Strickland, B. Y., Broome, C. V.: Nonmenstrual toxic shock syndrome, a review of 130 cases. *Ann. Intern. Med.* 96 (1982) 871–874.
7. Bartlett, P., Reingold, A. L., Graham, D. R., Dan, B. B., Selinger, D. S., Tank, G. W., Wichterman, K. A.: Toxic shock syndrome associated with surgical wound infections. *JAMA* 247 (1982) 1448–1450.
8. Rosene, K. A., Copass, M. K., Kastner, L. S., Nolan, C. M., Eschenbach, D. A.: Persistent neuropsychological sequelae of toxic shock syndrome. *Ann. Intern. Med.* 96 (1982) 865–870.
9. Chesney, P. J., Davis, P. D., Purdey, W. K., Wand, P. J., Chesney, R. W.: Clinical manifestations of toxic shock syndrome. *JAMA* 246 (1981) 741–748.
10. Sahs, A. L., Helms, C. M., DuBois, C.: Carpal tunnel syndrome, complication of toxic shock syndrome. *Arch. Neurol.* 40 (1983) 414–415.
11. Smith, D. B., Gulison, J.: Fatal cerebral edema complicating toxic shock syndrome. *Neurosurgery* 22 (1988) 598–599.

Erratum

Infection 21 (1993) no. 3

H.-M. Kuhn "Cross-Reactivity of Monoclonal Antibodies and Sera Directed against Lipid A and Lipopolysac-

charides", pages 179–186.

Legend Figure 2, x axis, should read: "Dilution of antibody"; Legend of Figure 3, x axis, should read: "Dilution of antibody x 10⁻²".