- (1982) Clinicopathological study of progressive subcortical vascular encephalopathy (Binswanger type) in the elderly. *J Am Geriatr Soc* 30:524–529
16. Vinters HV (1987) Cerebral amyloid angiopathy. A critical review. *Stroke* 18:311–324
17. Vinters HV, Gilbert JJ (1983) Cerebral amyloid angiopathy; incidence and complications in the aging brain. II. The distribution of amyloid vascular changes. *Stroke* 14:924–928
18. Whisnant JP, Fitzgibbons JP, Kurland LT, Sayre GP (1971) Natural history of stroke in Rochester, Minnesota, 1945 through 1954. *Stroke* 2:11–22
19. Yamanouchi H, Tohgi H, Tomonaga M, Iio M (1981) Com-

puterized tomographic evaluation of chronic ischemic lesions in cerebral white matter. *Jpn J Geriatr* 18:297–307

Received: April 5, 1990

Returned for revision: June 20, 1990

Accepted: September 3, 1990

Hiroshi Yamanouchi, M.D.

Department of Neurology

Tokyo Metropolitan Geriatric Hospital

35-2 Sakaecho, Itabashiku

Tokyo-173, Japan

Buchbesprechungen

G. Möller (Ed.) **Adhesion molecules.** (Immunological Reviews, vol. 114) Munksgaard, Copenhagen 1990. 218 pages, Subscription price 1990 (6 volumes per year): DKK 1465.00 including postage. USA, Canada and Japan: DKK 1525.00 including postage and air freight.

Events triggering an immune response are initiated by secretion of cytokines. Endothelial cells as well as phagocytes are activated. Adhesion to the endothelial cell is required prior to the subsequent diapedesis of phagocytes and other inflammatory leukocytes. In the past ten years the molecular structure of a number of adhesion molecules has been studied and clarified. The molecular weight of those membrane proteins ranges from 50–160 kD. In the most instances they consist of two subunits. Leukocyte adhesion describes a “physical contact of fast stickiness” between cells without covalent binding. Cell adhesion is central to two essential aspects of lymphocyte physiology: migration and recognition. – Leukocyte adhesion deficiency (LAD) has become a well characterized clinical (pediatric) entity. The main features are recurrent and often fatal bacterial infections, persistent neutrophilia and a selectively defective expression of CD11/CD18 receptors and neutrophils and phagocytes. – This volume of Immunological Reviews confers an excellent survey of the adhesion molecules of the integrin family known at present. Seven reviews by two European and five U.S. authors outline the immunologic, molecular and clinical characteristics of adhesion mechanisms. For example, Hemler and colleagues summarize the fourteen known alpha/beta heterodimers of the integrin family: eleven distinct alpha units and six beta units occur in variable combination. The beta units are subdivided into three groups: the beta-1 group of very late activation (VLA) molecules, the beta-2 group (Leu-CAMs: leukocyte adhesion molecules) and the beta-3 group consisting of cytoadhesions. Beta-1- and beta-3-containing adhesion molecules bind to extracellular matrix, whereas beta-2 heterodimers are involved in intercellular adhesion exclusively. Functionally, adhesion molecules and their counterparts (ICAMs=intercellular adhesion molecules and VCAMs=vascular adhesion molecules) can also mediate transmembraneous signalling and enhance proliferative lymphocyte responses. – Referring to the structural characterization Larson and Springer point out that the integrin family is phylogenetically ancient. Homologous alpha-beta chains are found in *Drosophila* and *Chicken*. – Questions remain, regarding the function and regulation of adhesion molecules. – Overall, this is a stimulating book that describes the status of an active field in immunology. Clinical as well as molecular immunologists will find it particularly useful.

J. Bogner (München)

M. Wirsching: **Krebs – Bewältigung und Verlauf.** Springer, Berlin Heidelberg New York London Paris Tokyo Hong Kong Barcelona 1990. XIV, 162 S., 36 Abb., 35 Tab., Brosch. DM 58,–

Das insgesamt 162 Seiten umfassende Buch behandelt das Thema Psychoonkologie, eine relativ junge, in ihrer Bedeutung erst in den letzten Jahren stärker in den Vordergrund getretene Disziplin der Onkologie. – Vorangestellt ist eine Einführung mit allgemeinen Begriffsbestimmungen zur Psychosomatik und zu psychodynamischen Vorgängen sowie zur Vorgehensweise im Rahmen der im folgenden vorgestellten Studien. – Behandelt werden dann die Themen Lebensqualität, Krankheitsbewältigung, Interaktionen im Rahmen der Familie und des allgemeinen sozialen Umfeldes. Es werden das Auftreten und die Verarbeitung intrapsychischer Konflikte wie auch die Einwirkung äußerer Belastungen, insbesondere psychosozialer Streß, wie auch gesundheitsschädliches Verhalten untersucht. Die genannten Faktoren werden in bezug auf eine mögliche prädiktive Rolle wie auch in bezug auf ihren möglichen Einfluß auf den weiteren Krankheitsverlauf hin analysiert. In 4 getrennten Abhandlungen berichten die Autoren hierbei über ihre Erfahrungen bei Patienten mit Brust- bzw. Bronchialkrebs. Ein weiteres Kapitel befaßt sich mit dem Einfluß einer psychoonkologischen Konsultartätigkeit auf die Bewältigung und den Verlauf einer Bronchialkrebserkrankung, im letzten Kapitel wird die Bedeutung einer psychosozialen Rehabilitation nach Operation eines kolorektalen Karzinoms ausgewertet. – Die vorgestellten Daten basieren auf einer mehr als 12jährigen Erfahrung des Autors mit psychoonkologischen Problemstellungen unter Hinzuziehung namhafter klinischer Onkologen. – Das Buch erlaubt einen guten Einblick in die Thematik, methodische Fragen werden in ausreichendem Maße behandelt und verständlich dargestellt. Die Ergebnisse werden durchaus kritisch betrachtet und insbesondere angesichts, bei dem erheblichen methodischen Aufwand verständlich, kleiner Fallzahlen als vorläufig bezeichnet. Die Beobachtungen der Autoren sprechen für die Bedeutung psychischer und psychosozialer Faktoren im Sinne einer Prädisposition zu schweren Erkrankungen bzw. Krankheitsverläufen. Unmittelbar krebsspezifische Faktoren bzw. Krebspersönlichkeiten ließen sich dagegen nicht mit ausreichender Sicherheit ableiten, wenngleich, zumindest beim Bronchialkarzinom, eine mögliche Tendenz vermutet wurde. – Ein Literaturverzeichnis von etwa 200 zitierten Arbeiten rundet den guten Eindruck ab, den das Buch hinterläßt. Es sei jedem onkologisch tätigen Arzt und jedem an den Zusammenhängen zwischen Psyche und Tumorentstehung bzw. -ausbreitung Interessierten zur Lektüre empfohlen.

P. Worst (Mannheim)