Erratum

On the Determinant of Elliptic Differential and Finite Difference Operators in Vector Bundles over S^1

D. Burghelea¹, L. Friedlander², and Th. Kappeler³

¹ Department of Mathematics, Ohio State University, Columbus, OH 43210-1174, USA

² Department of Mathematics, University of California, Los Angeles, CA 90024, USA

³ Department of Mathematics, Brown University, Providence, RI 02912, USA

Received August 18, 1992

Commun. Math. Phys. **138**, 1–18 (1991)

On page 9, lines 6 and 9 from below: instead of

$$\frac{d}{ds} (\zeta_{Q,A,\theta}(s) - \zeta_{Q,A',\theta}(s))|_{s=0}$$

should be

$$(\zeta_{Q,A,\theta}(s) - \zeta_{Q,A',\theta}(s))|_{s=0}.$$

On page 17. Corollary 5.3, 2) as stated is incorrect. It should be replaced by

Corollary 5.3. 2) $(S_\theta(A))^2$ is a spectral invariant.

Proof. Since A is of odd order, $S_\theta(A) = -1/S_{\theta+\pi}(A)$. Theorem 1 implies

$$\frac{\text{Det}_\theta A}{\text{Det}_{\theta+\pi} A} = -S_\theta(A)^2.$$

Observation. The example of the family of operators $A(k) = id/dx + k$, k integer, shows that neither $R(A)$ nor $S_\theta(A)$ are spectral invariants.

Communicated by A. Jaffe