A Rotating Sphere as a Possible Source of the Kerr Metric.

P. S. FLORIDES

School of Mathematics, Trinity College - Dublin
Dublin Institute for Advanced Studies - Dublin

(*Nuovo Cimento*, **13 B**, 1 (1973))

Please correct the following misprints in this paper:

Page 2: in eq. (1.1) instead of small theta (θ) read capital theta (Θ).

Page 4: in eq. (2.3) instead of $\omega_{\alpha\beta} \omega_{\alpha\beta} u_{\alpha}$ read $\omega_{1\alpha\beta} \omega_{1\alpha\beta} u_{1\alpha}$ respectively.

Page 7: in eq. (2.13), 1 (one) at the beginning of this equation should read i .

Page 9: eq. (2.22), 5th line from top, replace

$$\frac{m^2}{5b^2} + \frac{5b^2}{m^2} \left(\frac{99b^3}{35x^3} - \dots \right) + \dots \quad \text{by} \quad \frac{mb^2}{5x^3} + \frac{m^2}{5b^2} \left(\frac{99b^3}{35x^3} - \dots \right) + \dots$$

Page 9: in eq. (3.1) instead of small theta (θ) read capital theta (Θ).

Page 11: eqs. (3.8): on the right-hand-side of the two equations instead of small theta (θ) read capital theta (Θ).