Photoproduction of Strange Particles at Energies up to 5.8 GeV.

AACHEN-BERLIN-BONN-HAMBURG-HEIDELBERG-MÜNCHEN COLLABORATION

R. ERBE, G. REIMANN and E. SCHÜTTLER

I. Physikalisches Institut der Technischen Hochschule - Aachen

K. LANIUS, A. MEYER, A. POSE and J. SCHREIBER

*Forschungsstelle für Physik hoher Energien
der Deutschen Akademie der Wissenschaften zu Berlin-Zeuthen*

K. BÖCKMANN, J. MOEBES and W. TEJESSY

Physikalisches Institut der Universität Bonn and KFA Jülich - Bonn

G. HARIGEL, G. HORLITZ, E. LOHRMANN, H. MEYER, G. WOLF and S. WOLFF

Deutsches Elektronen-Synchrotron DESY - Hamburg

D. LÜKE, D. MÖNKEMEYER, P. SÖDING, H. SPITZER and W. P. SWANSON

*Physikalisches Staatsinstitut,
II. Institut für Experimentalphysik, Universität Hamburg - Hamburg*

H. BEISEL, H. FILTHUTH and P. STEFFEN

Institut für Hochenergiephysik der Universität Heidelberg - Heidelberg

P. FREUND, N. SCHMITZ, J. SEYERLEIN and P. SEYBOTH

*Max-Planck-Institut für Physik und Astrophysik - München**(Nuovo Cimento, 49 A, 504 (1967))*

Please note that in this paper:

- 1) The four parts of Fig. 4 should be labelled *a)*, *b)*, *c)*, *d)* from top to bottom.
- 2) In the figure caption of Fig. 4 reaction *a)* should *not* read $\gamma p \rightarrow \Sigma K^0 \pi^+$, but $\gamma p \rightarrow \Lambda K^0 \pi^+$.
- 3) The vertical scale of Fig. 5 is *not* in units of mb, but in units of μb .