Quantum Mechanics: Then and Since.

U. FANO

*Physics Department and James Franck Institute, University of Chicago
Chicago, IL 60637, USA*

- 1) Page 6, last paragraph, line 1: «fig. 2» should read «fig. 4».
- 2) Page 6, footnotes (2) and (3): «fig. 2» should read «fig. 1b».
- 3) Page 8, 2nd paragraph, line 6: same as 2) above.
- 4) Page 13, eq. (5'): insert a «minus» sign after the square bracket (this sign pertains to inverting the transformation (5)) *i.e.*:

$$(5') \quad v(\mathbf{q}) = \int d\mathbf{r} \exp[-i\mathbf{q} \cdot \mathbf{r}] n(\mathbf{r}).$$

- 5) Page 18, 2nd paragraph, line 6: «fig. 5» should read «fig. 6».
- 6) Page 24, last line: same as 5) above.
- 7) Page 25, 3rd paragraph, line 3: «the» should read «its», (to match «its» on line 2).
- 8) Page 29, 2nd paragraph, line 4, «to be shown in fig. 8» should read «to be shown in fig. 9», fig. 8 becomes fig. 9 and should be moved to page 33, where again quotation of fig. 8 should change to fig. 9 (3 times).
- 9) Page 30, 6 lines from bottom (fig. 9) should read (fig. 8) and on page 31 fig. 9 becomes fig. 8.
- 10) Page 30, eq. (32): θ should read (θ) .
- 11) Page 33, 2nd paragraph, lines 9 and 10: «fig. 8» should read «fig. 9's».
- 12) Page 33, 2nd paragraph, line 11: insert «for $j = 1$ » after «*i.e.* 4».
- 13) Page 35, eq. (41): insert a bar before the last « $\hbar$ », *i.e.*:

$$(41) \quad \psi_{\text{incid}}(\mathbf{r}) = \exp[i\mathbf{p} \cdot \mathbf{r}/\hbar] = \exp[i(p_x x - p_z z)/\hbar].$$