High-Energy Photoproduction Amplitudes from a New Kind of Dispersive Sum Rules.

P. GENSINI

Istituto di Fisica dell'Università - Lecce

Istituto Nazionale di Fisica Nucleare - Sottosezione di Bari

(*Lett. Nuovo Cimento*, **2**, 381 (1969))

In Table I of this paper some errors have crept in: the correct Table is printed below.

TABLE I.

$t \text{ ((GeV)}^2\text{)}$	$\gamma_2(t) \text{ (}\mu\text{b}^{\frac{1}{2}}\text{)}$	$\gamma_3(t) \text{ (}\mu\text{b}^{\frac{1}{2}} \cdot \text{GeV)}\text{)}$	$\beta(t) \text{ (}\mu\text{b}^{\frac{1}{2}}\text{)}$
	<i>a</i>	<i>b</i>	<i>c</i>
— 0.15	7.25 ± 2.18	— 27.46 ± 4.28	0.77 ± 0.12
— 0.10	3.97 ± 0.38	— 9.75 ± 2.44	0.40 ± 0.10
— 0.05	1.56 ± 0.13	— 1.05 ± 0.92	0.08 ± 0.07
0.00	— 0.79 ± 0.22	1.20 ± 0.25	— 0.64 ± 0.12
0.05	— 2.78 ± 0.21	— 6.28 ± 2.34	— 0.67 ± 0.25
0.10	— 4.02 ± 2.20	— 27.9 ± 16.1	— 1.35 ± 0.78
0.15	— 6.59 ± 2.10	— 15.1 ± 15.1	— 0.94 ± 0.94