LETTERS TO THE EDITOR

SIR:

May we use your correspondence columns to correct a misquotation of our work in a recent paper "A Critical Study of Propanidid" by J. E. Wynands and M. F. Burfoot which appeared in the November 1965 issue of your journal. This states that "previous reports emphasize the use of Propanidid as a sole anaesthetic agent." Both our paper¹ and that of Howells *et al.*² reported mainly on the use of the drug with nitrous oxide and oxygen and not as sole agent.

This interesting work of Wynands and Burfoot would have been of much greater value had details of dosage of Propanidid used, physical status of patients, duration and nature of operation, etc. been given in conjunction with their data on liver function. Using different liver-function tests (plasma pseudocholinesterase, SGPT, and serum bilirubin), the effects of Propanidid have been compared with those of thiopentone,³ and that study included both drugs, given for induction only and after prolonged intermittent administration of large doses. This failed to reveal any hepatotoxic effect of Propanidid, and in view of the current "cloud over halothane" we feel that this is an important finding. Perhaps Wynands and Burfoot might be stimulated to report their findings in more detail and include a control series having either thiopental or methohexital.

JOHN W. DUNDEE,
R. S. J. CLARKE,
Department of Anaesthetics,
The Queen's University of Belfast,
Belfast, Northern Ireland.

November 23, 1965

REFERENCES

1. DUNDEE, J. W. & CLARKE, R. S. J. Clinical Studies of Induction Agents: IX. A Comparative Study of a New Eugenol Derivative, FBA 1420, with G29505 and Standard Barbiturates. *Brit. J. Anaesth.* 36: 100 (1964).
2. HOWELLS, T. H.; ODELL, J. R.; HAWKINS, T. J.; & STEANE, P. A. An Introduction to FBA 1420. *Brit. J. Anaesth.* 36: 295 (1964).
3. CLARKE, R. S. J.; KIRWAN, M. J.; DUNDEE, J. W.; NEILL, D. W.; & MITCHELL, E. S. Clinical Studies of Induction Agents: XIII. Liver Function after Propanidid and Thiopentone Anaesthesia. *Brit. J. Anaesth.* 37: 415 (1965).

SIR:

Thank you for your letter and the copy of the letter that you received from Dr. Dundee. We gladly accept your offer to reply to Dr. Dundee's letter in your correspondence columns.

Our profound apologies are most certainly due for the use of the word "sole" in describing both Dr. Howell's and Dr. Dundee's work, and to both of them we unreservedly offer our apologies. In our experience a sleep-dose of Propanidid lasts for so short a time that only the briefest surgical procedure or transition to