Strahlenther Onkol 2014 · 190:777
DOI 10.1007/s00066-014-0704-3
Published online: 2 July 2014
© Springer-Verlag Berlin Heidelberg 2014

Florian Würschmidt¹ · Solveigh Stoltenberg² · Matthias Kretschmer¹ · Cordula Petersen³

¹ Department of Radiotherapy & Radiooncology, Radiologische Allianz, Hamburg, Germany

² Department of Radiation Oncology, Klinikum rechts der Isar, TU München, Munich, Germany

³ Center for Oncology, Department of Radiotherapy and Radio-Oncology, UKE, Hamburg, Germany

Erratum to: Incidental dose to coronary arteries is higher in prone than in supine whole breast irradiation

**Erratum to: Strahlenther Onkol 2014
190:563–568**

Unfortunately, erroneous author affiliations were published in the article “Incidental dose to coronary arteries is higher in prone than in supine whole breast irradiation.”

The correct list of author affiliations is as follows:

Florian Würschmidt¹, Solveigh Stoltenberg², Matthias Kretschmer¹ and Cordula Petersen³

¹Department of Radiotherapy and Radiooncology, Radiologische Allianz, Hamburg, Germany

²Department of Radiation Oncology, Klinikum rechts der Isar, TU München, Munich, Germany

³Center for Oncology, Department of Radiotherapy and Radio-Oncology, UKE, Hamburg, Germany

We apologize for any inconvenience caused.

Corresponding address

Prof. Dr. F. Würschmidt

Department of Radiotherapy & Radiooncology
Radiologische Allianz
Mörkenstr. 47, 22767 Hamburg
Germany
wuerschmidt@radiologische-allianz.de

The online version of the original article can be found at doi:<http://dx.doi.org/10.1007/s00066-014-0606-4>