Anaesthesist 2017 · 66:293–294
DOI 10.1007/s00101-017-0292-6
Published online: 13 March 2017
© Springer Medizin Verlag GmbH 2017

CrossMark

I. Eckert¹ · P. Imboden^{2,3} · P. Paal^{4,5,6} · J. Koppenberg^{1,3}

¹ Abteilung für Anästhesiologie, Schmerztherapie und Rettungsmedizin, Ospidal – Gesundheitszentrum Unterengadin, Scuol, Switzerland

² Klinik für Anästhesiologie, Intensiv-, Rettungs- und Schmerzmedizin, Kantonsspital St. Gallen, St. Gallen, Switzerland

³ Schweizerische Rettungsflugwacht (Rega), Zürich-Flughafen, Switzerland

⁴ Abteilung für Anästhesie und Intensivmedizin, Krankenhaus der Barmherzigen Brüder, Salzburg, Austria

⁵ Barts Heart Centre, St Bartholomew's Hospital, Barts Health NHS Trust, Queen Mary University of London, London, UK

⁶ International Commission for Mountain Emergency Medicine (ICAR MEDCOM), Zurich, Switzerland

Erratum to: Good neurological outcome after primary accidental hypothermia presenting with asystole

Erratum to:

Eckert I, Imboden P, Paal P, Koppenberg J (2017) Good neurological outcome after primary accidental hypothermia presenting with asystole. *Anaesthesist*

DOI 10.1007/s00101-017-0271-y

The authors would like to bring an error to the attention of the readership. The following sentence regarding core temperature on page 2 is incorrect:

Current guidelines emphasize that catecholamines should not be given during CPR and at a core temperature of <0 °C [6].

The correct value is <30 °C.

The authors apologize for the error and for any inconvenience it may have caused.

Corresponding address

Dr. J. Koppenberg

Abteilung für Anästhesiologie, Schmerztherapie und Rettungsmedizin, Ospidal – Gesundheitszentrum Unterengadin
Via Ospidal, 7550 Scuol, Switzerland
joachim.koppenberg@cseb.ch

The online version of the original article can be found under DOI [10.1007/s00101-017-0271-y](https://doi.org/10.1007/s00101-017-0271-y).

Hier steht eine Anzeige.