HNO 2012 · 60:906–907
DOI 10.1007/s00106-012-2589-8
Online publiziert: 30. September 2012
© Springer-Verlag Berlin Heidelberg 2012

T. Wilhelm¹ · G. Hilger² · K. Begall³ · J. Lautermann⁴ · O. Kaschke⁵ ·
P. Mir-Salim⁶ · T. Zahnert⁷

¹ Klinik für HNO-Heilkunde, Kopf-/Hals- und plastische Gesichtschirurgie, HELIOS Klinikum Borna

² Klinik für Hals-Nasen-Ohren-Heilkunde, Kopf- und Halschirurgie, KKH Stollberg

³ Klinik für Hals-Nasen-Ohren-Heilkunde, Kopf- und Halschirurgie, AMEOS Klinikum Halberstadt

⁴ Klinik für Hals-Nasen-Ohren-Heilkunde, Kopf- und Halschirurgie, Krankenhaus Martha-Maria, Halle-Dölau

⁵ Abteilung für Hals-Nasen-Ohrenkrankheiten, Plastische Gesichts- und Halschirurgie,
Sankt Gertrauden Krankenhaus, Berlin

⁶ Klinik für Hals-Nasen-Ohren-Heilkunde, Kopf- und Halschirurgie, Vivantes-Klinikum im Friedrichshain, Berlin

⁷ Klinik für Hals-Nasen-Ohren-Heilkunde, Kopf- und Halschirurgie, Universitätsklinikum Dresden

Erratum zu: S1-Leitlinie „Adenoide Vegetationen/ Rachenmandelhyperplasie“

HNO 60:746–752 <http://www.dx.doi.org/10.1007/s00106-012-2555-5>

In diesem Beitrag war das Literaturverzeichnis falsch nummeriert, weil der Hinweis „Die Beurteilung der Evidenzlevel der einzelnen Studien richtet sich nach: „Das Deutsche Cochrane Zentrum – Von der Evidenz zur Empfehlung (Klassifikationssysteme)“, www.cochrane.de“ als Literaturstelle statt als Fußnote angegeben war. Wir bitten dies zu entschuldigen, das korrekte Literaturverzeichnis ist hier nochmals abgedruckt.

Die Redaktion.

Korrespondenzadresse

Dr. T. Wilhelm
Klinik für HNO-Heilkunde,
Kopf-/Hals- und plastische Gesichtschirurgie
HELIOS Klinikum Borna
Rudolf-Virchow-Str. 2, 04552 Borna
thomas.wilhelm@helios-kliniken.de

Literatur

- Asaf T, Reuveni H, Yermiah T et al (2001) The need for routine pre-operative coagulation screening tests (prothrombin time PT/partial thromboplastin time PTT) for healthy children undergoing elective tonsillectomy and/or adenoidectomy. *Int J Pediatr Otorhinolaryngol* 61(3):217–222 (EBM RATING: IIb)
- Basha S, Bialowas C, Ende K, Szeremeta W (2005) Effectiveness of adenotonsillectomy in the resolution of nocturnal enuresis secondary to obstructive sleep apnea. *Laryngoscope* 115(6):1101–1103 (EBM RATING: IIa)
- Lautermann J, Begall K, Hilger G et al (2011) Leitlinie Sero-/Mukotympanon der Deutschen Gesellschaft für Hals-Nasen-Ohrenheilkunde, Kopf- und Halschirurgie. AWMF, http://www.awmf.org/uploads/tx_szleitlinien/017-004I_S1_Seromukotympanum_2011-04.pdf. Zugriffen: 13 Jan. 2012 (EBM RATING: IV)
- Bonuck K, Parikh S, Bassila M (2006) Growth failure and sleep disordered breathing: a review of the literature. *Int J Pediatr Otorhinolaryngol* 70(5):769–778 (EBM RATING: III)
- Brietzke SE, Brigger MT (2008) Adenoidectomy outcomes in pediatric rhinosinusitis: a meta-analysis. *Int J Pediatr Otorhinolaryngol* 72(10):1541–1545 (EBM RATING: IIa)
- Brietzke SE, Gallagher D (2006) The effectiveness of tonsillectomy and adenoidectomy in the treatment of pediatric obstructive sleep apnea/hypopnea syndrome: a meta-analysis. *Otolaryngol Head Neck Surg* 134(6):979–984 (EBM RATING: IIa)
- Capper JR, Randall C (1984) Post-operative haemorrhage in tonsillectomy and adenoidectomy in children. *J Laryngol Otol* 98(4):363–365 (EBM RATING: III)
- Clemens J, McMurray JS, Willging JP (1998) Electrocautery versus curette adenoidectomy: comparison of postoperative results. *Int J Pediatr Otorhinolaryngol* 43(2):115–122 (EBM RATING: Ib)
- Cook PR, Herr TM, Highfill G (1998) Diagnosing and treating pediatric allergy. *Otolaryngol Head Neck Surg* 118(3):350–355 (EBM RATING: IIb)
- Crysdale WS, Russel D (1986) Complications of tonsillectomy and adenoidectomy in 9409 children observed overnight. *CMAJ* 135(10):1139–1149 (EBM RATING: IIb)
- Darrow DH, Siemens C (2002) Indications for tonsillectomy and adenoidectomy. *Laryngoscope* 112(8 Pt 2 Suppl 100):6–10 (EBM RATING: Ia)
- Dohar JE, Bonilla JA (1996) Processing of adenoid and tonsil specimens in children: a national survey of standard practices and a five-year review of the experience at the Children's Hospital of Pittsburgh. *Otolaryngol Head Neck Surg* 115(1):94–97 (EBM RATING: III)
- Dost P (2007) Histologie nach Adeno-Tonsillektomie? In Deutschland kein einheitliches Vorgehen bei Patienten bis zum Alter von 10 Jahren. *HNO* 55(2):100–103 (EBM RATING: IV)
- Drake-Lee A, Weiner G (1997) Suitability of children for ENT day case procedures. *Clin Otolaryngol Allied Sci* 22(3):215–218 (EBM RATING: IIa)
- Erlert T, Paditz E (2004) Obstructive sleep apnea syndrome in children: a state-of-the-art review. *Treat Respir Med* 3(2):107–122 (EBM RATING: Ia)
- Esposito E, Pucci V, Mesolella M, Motta S (1992) L'adenotonsillectomia: valutazione dei risultati a distanza di oltre 7 anni dall'intervento. *Acta Otorhinolaryngol Ital* 12(6):593–604 (EBM RATING: IIa)
- Gates GA (1994) Adenoidectomy for otitis media with effusion. *Ann Otol Rhinol Laryngol* 163(Suppl):54–58 (EBM RATING: IV)
- Gozal D (1998) Sleep-disordered breathing and school performance in children. *Pediatrics* 102(3 Pt 1):616–620 (EBM RATING: III)
- Hörmann K (2006) Gemeinsame Stellungnahme zur Notwendigkeit präoperativer Gerinnungsdiagnostik vor Tonsillektomie und Adenotomie bei Kindern. *Laryngo Rhino Otol* 85(8):580–581 (EBM RATING: IV)
- Ivanhoe JR, Lefebvre CA, Stockstill JW (2007) Sleep disordered breathing in infants and children: a review of the literature. *Pediatr Dent* 29(3):193–200 (EBM RATING: III)
- Koltai PJ, Chan J, Younes A (2002) Power-assisted adenoidectomy: total and partial resection. *Laryngoscope* 112(8 Suppl 100):29–31 (EBM RATING: IIb)
- Konno A, Hoshino T, Togawa K (1980) Influence of upper airway obstruction by enlarged tonsils and adenoids upon recurrent infection of the lower airway in childhood. *Laryngoscope* 90(10 Pt 1):1709–1716 (EBM RATING: IIb)

23. Le TM, Rovers MM, Staaï BK van et al (2007) Alterations of the oropharyngeal microbial flora after adenotonsillectomy in children: a randomized controlled trial. *Arch Otolaryngol Head Neck Surg* 133(10):969–972 (EBM RATING: Ib)
24. Lee WC, Sharp JF (1996) Complications of pediatric tonsillectomy post-discharge. *J Laryngol Otol* 110(2):136–140 (EBM RATING: IIa)
25. Lubianca Neto JF, Hemb L, Silva DB (2006) Systematic literature review of modifiable risk factors for recurrent acute otitis media in childhood. *J Pediatr (Rio J)* 82(2):87–96 (EBM RATING: Ia)
26. Mangge H, Lang-Loidolt D, Hartmann M, Schauenstein K (1998) Indications and contraindications for tonsillectomy and adenoidectomy. Judgement of immunologic status. *Dtsch Med Wochenschr* 123(7):195–199 (EBM RATING: IV)
27. Manolis E, Tsakris A, Kandiloros D et al (1994) Alterations to the oropharyngeal and nasopharyngeal microbial flora of children after tonsillectomy and adenoidectomy. *J Laryngol Otol* 108(9):763–767 (EBM RATING: IIb)
28. Miman MC, Kirazli T, Ozyurek R (2000) Doppler echocardiography in adenotonsillar hypertrophy. *Int J Pediatr Otorhinolaryngol* 54(1):21–26 (EBM RATING: IIb)
29. Mitchell RB, Kelly J (2005) Quality of life after adenotonsillectomy for SDB in children. *Otolaryngol Head Neck Surg* 133(4): 569–572 (EBM RATING: IIa)
30. Netser JC, Robinson RA, Smith RJ, Raab SS (1997) Value-based pathology: a cost-benefit analysis of the examination of routine and nonroutine tonsil and adenoid specimens. *Am J Clin Pathol* 108(2):158–165 (EBM RATING: III)
31. Paditz E, Knauth H, Baerthold W (1996) Effect of adenotomy on mental performance of children with adenoid vegetations. *Wien Med Wochenschr* 146(13–14):327–328 (EBM RATING: IIa)
32. Paradise JL, Bernard BS, Colborn DK, Janosky JE (1998) Assessment of adenoidal obstruction in children: clinical signs versus roentgenographic findings. *Pediatrics* 101(6):979–986 (EBM RATING: IIa)
33. Randall DA, Parker GS, Kennedy KS (1991) Indications for tonsillectomy and adenoidectomy. *Am Fam Physician* 44(5):1639–1646 (EBM RATING: IV)
34. Rasmussen N (1987) Complications of tonsillectomy and adenoidectomy. *Otolaryngol Clin North Am* 20(2):383–390 (EBM RATING: IV)
35. Rosenfeld RM, Culpepper L, Doyle KJ et al (2004) Clinical practice guideline: Otitis media with effusion. *Otolaryngol Head Neck Surg* 130(5 Suppl):95–118 (EBM RATING: Ia)
36. Schloss MD, Tan AK, Schloss B, Tewfik TL (1994) Outpatient tonsillectomy and adenoidectomy: complications and recommendations. *Int J Pediatr Otorhinolaryngol* 30(2):115–122 (EBM RATING: IIb)
37. Schwaab M, Hansen S, Gurr A, Dazert S (2008) Stellenwert der Blutabnahme vor Adenotomie. *Laryngo Rhino Otol* 87(2):100–106 (EBM RATING: IIb)
38. Shehata EM, Ragab SM, Behiry AB et al (2005) Telescopic-assisted radiofrequency adenoidectomy: a prospective randomized controlled trial. *Laryngoscope* 115(1):162–166 (EBM RATING: Ib)
39. Smith E, Wenzel S, Rettinger G, Fischer Y (2008) Lebensqualität bei kindlichem obstruktiven Schlafapnoesyndrom nach Tonsillektomie, Tonsillotomie und/oder Adenotomie. *Laryngo Rhino Otol* 87(7):490–497 (EBM RATING: IIa)
40. Stanislaw P Jr, Koltai PJ, Feustel PJ (2000) Comparison of power-assisted adenoidectomy vs adenoid curette adenoidectomy. *Arch Otolaryngol Head Neck Surg* 126(7):845–849 (EBM RATING: Ib)
41. Stewart MG, Friedman EM, Sulek M et al (2000) Quality of life and health status in pediatric tonsil and adenoid disease. *Arch Otolaryngol Head Neck Surg* 126(1):45–48 (EBM RATING: IIb)
42. Tarantino V, D'Agostino R, Melagrana A et al (2004) Safety of electronic molecular resonance adenoidectomy. *Int J Pediatr Otorhinolaryngol* 68(12):1519–1523 (EBM RATING: Ib)
43. Tarantino V, Stura M, Vallarano R (1988) Le complanze post-operatorie dell'adenoidotonsillectomia. *Min Ped* 40(5):279–292 (EBM RATING: IIb)
44. Teppo H, Virkkunen H, Revonta M (2006) Topical adrenaline in the control of intraoperative bleeding in adenoidectomy: a randomised, controlled trial. *Clin Otolaryngol* 31(4):303–309 (EBM RATING: Ib)
45. Tunkel DE, Hotchkiss KS, Carson KA, Sterni LM (2008) Efficacy of powered intracapsular tonsillectomy and adenoidectomy. *Laryngoscope* 118(7):1295–1302 (EBM RATING: IIa)
46. Ungkanont K, Damrongsak S (2004) Effect of adenoidectomy in children with complex problems of rhinosinusitis and associated diseases. *Int J Pediatr Otorhinolaryngol* 68(4):447–451 (EBM RATING: IIa)
47. Akker EH van den, Sanders EA, Staaï BK van et al (2006) Long-term effects of pediatric adenotonsillectomy on serum immunoglobulin levels: results of a randomized controlled trial. *Ann Allergy Asthma Immunol* 97(2):251–256 (EBM RATING: Ib)
48. Staaï BK van, Akker EH van den, Rovers MM et al (2005) Effectiveness of adenotonsillectomy in children with mild symptoms of throat infections or adenotonsillar hypertrophy: open, randomised controlled trial. *Clin Otolaryngol* 30(1):60–63 (EBM RATING: Ib)
49. Wong L, Moxham JP, Ludemann JP (2004) Electrosurgical adenoid ablation. *J Otolaryngol* 33(2):104–106 (EBM RATING: IIa)
50. Zhang L, Mendoza-Sassi RA, César JA, Chadha NK (2008) Intranasal corticosteroids for nasal airway obstruction in children with moderate to severe adenoidal hypertrophy. *Cochrane Database Syst Rev* 16(3):CD00628 (EBM RATING: Ia)

Steigen Sie ein bei e.Med und gewinnen Sie einen BMW 320d Luxury Line Limousine

Möchten Sie von den Vorteilen des Online-Komplettangebotes für Ärzte profitieren und Ihren persönlichen Zugang zu e.Med bestellen? Dann schalten Sie sich bis zum 30. November 2012 Ihren Zugang zur digitalen Welt von Springer Medizin für nur €33,25* inkl. 19% MwSt. pro Monat frei und nutzen Sie die Gewinnchance auf einen BMW 320d Luxury Line Limousine**. Der BMW bringt Sie sicher und mit viel Freude am Fahren überall hin, wo es Straßen gibt – mit e.Med kommen Sie blitzschnell über virtuelle Datenautobahnen zu allen Inhalten von Springer Medizin.

Buchen Sie Ihr e.Med-Abo unter www.springermedizin.de/eMed und gewinnen Sie!

Jetzt
bestellen und
gewinnen

* Zzgl. Versandkostenpauschale für eine Printzeitschrift. Das Angebot richtet sich an Angehörige medizinischer Fachkreise (z.B. Ärzte). Die Mindestvertragslaufzeit beträgt im ersten Jahr 12 Monate und kann mit einer Frist von 30 Tagen vor Ablauf der Vertragslaufzeit gekündigt werden; ohne Kündigung verlängert sich der Vertrag und ist dann monatlich kündbar. Weitere Informationen unter www.springermedizin.de/eMed.

** Eine Teilnahme am Gewinnspiel ist nur bis einschließlich 30. November 2012 möglich. Teilnahmeberechtigt sind nur volljährige, natürliche Personen, die Angehörige medizinischer Fachkreise (z.B. Ärzte) und keine Mitarbeiter der Springer Medizin sind. Der Gewinner wird per Losentscheid ermittelt. Der abgebildete BMW kann hinsichtlich Modell, Farbe etc. vom tatsächlichen Gewinn abweichen. Weitere Informationen (z. B. Teilnahme, Teilnahmebedingungen) erhalten Sie unter www.springermedizin.de/eMed.