- report on the state of well-being of patients with chronic tinnitus who underwent modified tinnitus retraining therapy. *Audiol Neurotol* 20(1):26–38
34. Zirke N, Seydel C, Szczepek AJ, Olze H, Haupt H, Mazurek B (2013) Psychological comorbidity in patients with chronic tinnitus: analysis and comparison with chronic pain, asthma or atopic dermatitis patients. *Qual Life Res* 22(2):263–272
 35. Zenner HP, Delb W, Kroner-Herwig B et al (2015) On the interdisciplinary S3 guidelines for the treatment of chronic idiopathic tinnitus. *HNO* 63:419–427
 36. Zenner HP, Delb W, Kröner-Herwig B, Jäger B, Peroz I, Hesse G, Mazurek B, Goebel G, Gerloff C, Trollmann R, Biesinger E, Seidler H, Langguth B (2017) A multidisciplinary systematic review of the treatment for chronic idiopathic tinnitus. *Eur Arch Otorhinolaryngol* 274(5):2079–2091

HNO 2018 · 66:211

<https://doi.org/10.1007/s00106-018-0484-7>

Published online: 9 February 2018

© Springer Medizin Verlag GmbH, ein Teil von Springer Nature 2018

CrossMark

P. Brüggemann¹ · J. Otto¹ · N. Lorenz¹ · S. Schorsch¹ · A. J. Szczepek² · B. Böcking¹ · B. Mazurek¹

¹ Tinnituszentrum, Charité – Universitätsmedizin Berlin, Campus Charité Mitte, Berlin, Germany

² Department of Otorhinolaryngology, Charité – Universitätsmedizin Berlin, Campus Charité Mitte, Berlin, Germany

Erratum to: Long-term changes in multimodal intensive tinnitus therapy. A 5-year follow-up

Erratum to:

HNO 2018 66 (Suppl):S34–S38

<https://doi.org/10.1007/s00106-017-0463-4>

Figure 1 was published incorrectly in the online version of this paper. The correct Figure is reproduced below.

Corresponding address

Prof. Dr. med. B. Mazurek

Tinnituszentrum, Charité – Universitätsmedizin Berlin, Campus Charité Mitte
Charitéplatz 1, 10117 Berlin, Germany
birgit.mazurek@charite.de

Fig. 1 ▲ Change in tinnitus burden for participants with decompensated vs. compensated tinnitus (TQ Tinnitus Questionnaire)

The online version of the original article can be found under <https://doi.org/10.1007/s00106-017-0463-4>.