35. Boucher A, Droz D, Adaffer E, Noel LH (1987) Relationship between the integrity of Bowman's capsule and the composition of cellular crescents in human crescentic glomerulonephritis. *Lab Invest* 56/5: 526–533
36. Cunningham MA, Huang XR, Dowling JP, Tipping PG, Holdsworth SR (1999) Prominence of cell-mediated immunity effectors in „pauci-immune“ glomerulonephritis. *J Am Soc Nephrol* 10/3: 499–506
37. Bonsib SM (1985) Glomerular basement membrane discontinuities. Scanning electron microscopic study of acellular glomeruli. *Am J Pathol* 119/3: 357–360
38. Drew AF, Tucker HL, Liu H et al. (2001) Crescentic glomerulonephritis is diminished in fibrinogen-deficient mice. *Am J Physiol Renal Physiol* 281/6: F1157–1163
39. Atkins RC, Holdsworth SR, Glasgow EF, Matthews FE (1976) The macrophagen in human rapidly progressive glomerulonephritis. *Lancet* 1/7964: 830–2
40. Bennett W, Kincaid-Smith P (1983) Macroscopic hematuria in mesangial IgA nephropathy. *Kidney Int* 23: 393–400
41. Downer G, Phan SH, Wiggins RC (1988) Analysis of renal fibrosis in a rabbit model of crescentic nephritis. *J Clin Invest* 82/3: 998–1006
42. Rees A, Cameron JS (1998) Crescentic glomerulonephritis, 2nd edn. Oxford University Press, Oxford
43. Baldwin DS, Neugarten J, Feiner HD, Gluck M, Spinowitz B (1987) The existence of a protracted course in crescentic glomerulonephritis. *Kidney Int* 31/3: 790–794
44. Salama AD, Dougan T, Levy JB et al. (2002) Goodpasture's disease in the absence of circulating anti-glomerular basement membrane antibodies as detected by standard techniques. *Am J Kidney Dis* 39/6: 1162–1167
45. Litwin CM, Mouritsen CL, Wilfahrt PA, Schroder MC, Hill HR (1996) Anti-glomerular basement membrane disease: role of enzyme-linked immunosorbent assays in diagnosis. *Biochem Mol Med* 59/1: 52–56
46. Choi HK, Lamprecht P, Niles JL, Gross WL, Merkel PA (2000) Subacute bacterial endocarditis with positive cytoplasmic antineutrophil cytoplasmic antibodies and anti-proteinase 3 antibodies. *Arthritis Rheum* 43/1: 226–231
47. Hellmich B, Ehren M, Lindstaedt M et al. (2001) Anti-MPO-ANCA-positive microscopic polyangiitis following subacute bacterial endocarditis. *Clin Rheumatol* 20/6: 441–443
48. Griffin KA, Schwartz MM, Korbet SM (1989) Pulmonary-renal syndrome of bacterial endocarditis mimicking Goodpasture's syndrome. *Am J Kidney Dis* 14/4: 329–332
49. Cassidy MJ, Gaskin G, Savill J, Pusey CD, Rees AJ (1990) Towards a more rapid diagnosis of rapidly progressive glomerulonephritis. *BMJ* 301/6747: 329–331
50. Bolton WK, Sturgill BC (1989) Methylprednisolone therapy for acute crescentic rapidly progressive glomerulonephritis. *Am J Nephrol* 9/5: 368–375
51. Wilson CB, Dixon FJ (1973) Anti-glomerular basement membrane antibody-induced glomerulonephritis. *Kidney Int* 3/2: 74–89
52. Lockwood CM, Rees AJ, Pearson TA et al. (1976) Immunosuppression and plasma-exchange in the treatment of Goodpasture's syndrome. *Lancet* 1/7962: 711–715
53. Johnson JP, Moore J Jr, Austin HA 3rd et al. (1985) Therapy of anti-glomerular basement membrane antibody disease: analysis of prognostic significance of clinical, pathologic and treatment factors. *Medicine (Baltimore)* 64/4: 219–227
54. Pusey CD, Lockwood CM (1985) Antibody mediated glomerulonephritis: clinical and experimental studies. *J Clin Apheresis* 2/4: 396–404
55. Levy JB, Turner AN, Rees AJ, Pusey CD (2001) Long-term outcome of anti-glomerular basement membrane antibody disease treated with plasma exchange and immunosuppression. *Ann Intern Med* 134/11: 1033–1042
56. Bosch X, Mirapeix E, Font J et al. (1991) Prognostic implication of anti-neutrophil cytoplasmic autoantibodies with myeloperoxidase specificity in anti-glomerular basement membrane disease. *Clin Nephrol* 36/3: 107–113
57. Denton M, Magee C, Niles J (2002) Rapidly progressive glomerulonephritis. *Ann Intern Med* 137/5 Part 1: W1
58. Fauci AS, Haynes BF, Katz P, Wolff SM (1983) Wegener's granulomatosis: prospective clinical and therapeutic experience with 85 patients for 21 years. *Ann Intern Med* 98/1: 76–85
59. Haubitz M, Schellong S, Gobel U et al. (1998) Intravenous pulse administration of cyclophosphamide vs. daily oral treatment in patients with antineutrophil cytoplasmic antibody-associated vasculitis and renal involvement: a prospective, randomized study. *Arthritis Rheum* 41/10: 1835–1844
60. de Groot K, Adu D, Savage CO (2001) The value of pulse cyclophosphamide in ANCA-associated vasculitis: meta-analysis and critical review. *Nephrol Dial Transplant* 16/10: 2018–2027
61. Andrassy K, Kuster S, Waldherr R, Ritz E (1991) Rapidly progressive glomerulonephritis: analysis of prevalence and clinical course. *Nephron* 59/2: 206–212
62. Gaskin G, Pusey CD (2001) Plasmapheresis in antineutrophil cytoplasmic antibody-associated systemic vasculitis. *Ther Apher* 5/3: 176–181
63. Gaskin G für die EUVAS study group (2002) Adjunctive plasma exchange is superior to methylprednisolone in acute renal failure due to ANCA-associated glomerulonephritis. *J Am Soc Nephrol* 13: 2A
64. Hoffman GS, Kerr GS, Leavitt RY et al. (1992) Wegener granulomatosis: an analysis of 158 patients. *Ann Intern Med* 116/6: 488–498
65. Jayne D (2001) Update on the European Vasculitis Study Group trials. *Curr Opin Rheumatol* 13/1: 48–55
66. van der Woude FJ, Schmitt WH, Birk R et al. (2001) Immunosuppression in ANCA-associated vasculitis. *Transplant Proc* 33/3: 2225–2226
67. Van Der Woude FJ (2002) Taking anti-neutrophil cytoplasmic antibody (ANCA) testing beyond the limits. *Nephrol Dial Transplant* 17/12: 2081–2083
68. Jayne D (2001) Clinical management and treatment of vasculitis. *Springer Semin Immunopathol* 23/3: 267–286
69. Jindal KK (1999) Management of idiopathic crescentic and diffuse proliferative glomerulonephritis: evidence-based recommendations. *Kidney Int Suppl* 70: S33–40

Internist 2003 · 44: 1119
 DOI 10.1007/s00108-003-1062-x
 © Springer-Verlag 2003

J. Tebbenjohanns · T. Korte, „Therapie des Vorhofflimmerns“ in Der Internist 44: 719-732

Im oben genannten Weiterbildungsbeitrag aus dem Juniheft von "Der Internist" hat sich auf Seite 729 im Abschnitt "Antikoagulation" leider ein Fehler eingeschlichen. Der korrekte Abschnitt lautet wie folgt:

Antikoagulation

Vorhofflimmern ist vergesellschaftet mit einem deutlich erhöhten Risiko für das Auftreten von arteriellen Embolien bzw. zerebralen Insulten. Das individuelle Risiko hängt von den begleitenden Faktoren ab und ist bei Patienten mit Mitralklappenstenose bis zu 17fach erhöht. Weitere **Risikofaktoren** sind ein früherer zerebraler Insult oder TIA, derzeitige oder frühere arterielle Hypertonie, Alter > 75 Jahre, Diabetes mellitus und Herzinsuffizienz. Etwa 15-20% der Patienten mit zerebralen Insulten weisen Vorhofflimmern auf. Aus diesen Gründen ist eine dauerhafte, konsequente Antikoagulation notwendig, wobei die Ziel-INR zwischen 2,0 und 3,0 liegen sollte. Sofern die INR > 3,0 liegt, ist mit dem überproportionalen Auftreten von intrazerebralen Blutungen zu rechnen.