- Elenberg E, Dohil R, Trauner D, Antignac C, Cochat P, Kaskel F, Servais A, Wühl E, Niaudet P, Van't Hoff W, Gahl W, Levchenko E (2014) Nephropathic cystinosis: an international consensus document. *Nephrol Dial Transplant* 29:iv87–iv94
9. Gahl WA, Thoene JG, Schneider JA (2002) Cystinosis. *N Engl J Med* 347:111–121
10. Kalatzis V, Cherqui S, Antignac C, Gasnier B (2001) Cystinosis, the protein defective in cystinosis, is a H(+)-driven lysosomal cystine transporter. *EMBO J* 20:5940–5949
11. Langman CB, Barshop BA, Deschênes G, Emma F, Goodyer P, Lipkin G, Midgley JP, Ottolenghi C, Servais A, Soliman NA, Thoene JG, Levchenko EN (2016) Conference Participants. Controversies and research agenda in nephropathic cystinosis: conclusions from a “Kidney Disease: improving Global Outcomes” (KDIGO) Controversies Conference. *Kidney Int* 89:1192–1203
12. Langman CB, Greenbaum LA, Grimm P, Sarwal M, Niaudet P, Deschênes G, Cornelissen EA, Morin D, Cochat P, Elenberg E, Hanna C, Gaillard S, Bagger MJ, Rioux P (2014) Quality of life is improved and kidney function preserved in patients with nephropathic cystinosis treated for 2 years with delayed-release cysteamine bitartrate. *J Pediatr* 165:528–533.e1
13. Langman CB, Greenbaum LA, Sarwal M, Grimm P, Niaudet P, Deschênes G, Cornelissen EA, Morin D, Cochat P, Matossian D, Gaillard S, Bagger MJ, Rioux P (2012) A randomized controlled crossover trial with delayed-release cysteamine bitartrate in nephropathic cystinosis: effectiveness on white blood cell cystine levels and comparison of safety. *Clin J Am Soc Nephrol* 7:1112–1120
14. Levchenko EN, van Dael CM, de Graaf-Hess AC, Wilmer MJ, van den Heuvel LP, Monnens LA, Blom HJ (2006) Strict cysteamine dose regimen is required to prevent nocturnal cystine accumulation in cystinosis. *Pediatr Nephrol* 21:110–113
15. Markello TC, Bernardini IM, Gahl WA (1993) Improved renal function in children with cystinosis treated with cysteamine. *N Engl J Med* 328:1157–1162
16. Pape L et al (2017) Cystinose. *Nephrologie* 12:223–229. <https://doi.org/10.1007/s11560-017-0152-z>
17. Van Stralen KJ, Emma F, Jager KJ, Verrina E, Schaefer F, Laube GF, Lewis MA, Levchenko EN (2011) Improvement in the renal prognosis in nephropathic cystinosis. *Clin J Am Soc Nephrol* CJASN 6:2485–2491
18. Viltz L, Trauner DA (2013) Effect of age at treatment on cognitive performance in patients with cystinosis. *J Pediatr* 163:489–492

Internist 2018 · 59:867
<https://doi.org/10.1007/s00108-018-0461-y>
 Online publiziert: 21. Juni 2018
 © Springer Medizin Verlag GmbH, ein Teil von Springer Nature 2018

M. Halbach · S. Baldus

Klinik III für Innere Medizin, Herzzentrum, Uniklinik Köln, Köln, Deutschland

Erratum zu: Thrombozytenaggregationshemmer bei koronarer, zerebraler und peripherer Makroangiopathie. Was, wann, wie lange?

Erratum zu:

Internist 2018

<https://doi.org/10.1007/s00108-017-0362-5>

In der gedruckten und in der zunächst online veröffentlichten Fassung dieses Beitrags ist ein Fehler in der Dargelegungsempfehlung zu Ticagrelor-Schmelztabletten im Abschnitt „Beginn der dualen Plättchenhemmung“ aufgetreten. Die korrekte Darstellung lautet: Mit den mittlerweile verfügbaren Ticagrelor-Schmelztabletten wird eine frühe Aufsättigung beim liegenden, wachen Patienten erleichtert. Beim intubierten Patienten ist die Anlage einer Magensonde stets erforderlich, da Ticagrelor-Schmelztabletten nicht über die Mundschleimhaut resorbiert werden.

Die Redaktion bittet um die Beachtung der korrekten Darstellung.

Korrespondenzadresse

PD Dr. M. Halbach

Klinik III für Innere Medizin, Herzzentrum, Uniklinik Köln
 Kerpener Str. 62, 50937 Köln, Deutschland
marcel.halbach@uk-koeln.de

Prof. Dr. S. Baldus

Klinik III für Innere Medizin, Herzzentrum, Uniklinik Köln
 Kerpener Str. 62, 50937 Köln, Deutschland
stephan.baldus@uk-koeln.de

Die Online-Version des Originalartikels ist unter <https://doi.org/10.1007/s00108-017-0362-5> zu finden.