*Erratum***Insulin resistance is a risk factor for progression to Type 1 diabetes****S. Furlanos¹ · P. Narendran^{1, 2} · G. B. Byrnes³ · P. G. Colman⁴ · L. C. Harrison¹**¹ Autoimmunity and Transplantation Division, The Walter and Eliza Hall Institute of Medical Research, Parkville, Victoria, Australia² Department of Clinical Science, University of Bristol, UK³ Centre for Genetic Epidemiology, University of Melbourne, Victoria, Australia⁴ Department of Diabetes and Endocrinology, Royal Melbourne Hospital, Parkville, Victoria, Australia**Diabetologia (2004) 47:1661– 1667**

Owing to a mistake by the authors, the y-axis on Fig. 3 was incorrectly labelled 'Proportion developing diabetes'. It should have read: 'Proportion diabetes-free', as below.

Fig. 3. Kaplan–Meier survival estimates according to baseline HOMA-R : FPIR quartile

Published online: 11 December 2004

© Springer-Verlag 2004

DOI 10.1007/s00125-004-1621-2

L. C. Harrison (✉)

Autoimmunity and Transplantation Division,
The Walter and Eliza Hall Institute of Medical Research,
1G Royal Parade, Parkville, Victoria 3050, Australia

E-mail: harrison@wehi.edu.au

Tel.: +61-3-93452460, Fax: +61-3-93470852

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s00125-004-1507-3>