

The BioBreeding rat diabetes model is infected with Ljungan virus

B. Niklasson · T. Hultman · R. Kallies · M. Niedrig ·
R. Nilsson · P.-O. Berggren · L. Juntti-Berggren ·
S. Efendic · A. Lernmark · W. Klitz

Published online: 11 August 2007
© Springer-Verlag 2007

The authors regret that they failed to acknowledge the earlier work of B. Schoenecker, K.E. Heller and T. Freimanis, who first described symptoms of diabetes in captive bank voles [1].

References

1. Schoenecker B, Heller KE, Freimanis T (2000) Development of stereotypies and polydipsia in wild caught bank voles (*Clethrionomys glareolus*) and their laboratory-bred offspring. Is polydipsia a symptom of diabetes mellitus? *Appl Anim Behav Sci* 68: 349–357

The online version of the original article can be found at: <http://dx.doi.org/10.1007/s00125-007-0659-3>.

B. Niklasson (✉) · T. Hultman
Apodemus,
Grevgatan 38,
114 53 Stockholm, Sweden
e-mail: Bo.Niklasson@Apodemus.se

B. Niklasson
Department of Medical Cell Biology, Uppsala University,
Uppsala, Sweden

R. Kallies · M. Niedrig
Robert Koch Institute,
Berlin, Germany

R. Nilsson · P.-O. Berggren · L. Juntti-Berggren · S. Efendic
The Rolf Luft Research Centre for Diabetes and Endocrinology,
Karolinska Institute,
Stockholm, Sweden

A. Lernmark
R. H. Williams Laboratory, Department of Medicine,
University of Washington,
Seattle, WA, USA

W. Klitz
School of Public Health, University of California,
Berkeley, CA, USA

W. Klitz
Public Health Institute,
Oakland, CA, USA