Impaired glucagon-like peptide-1-induced insulin secretion in carriers of transcription factor 7-like 2 (*TCF7L2*) gene polymorphisms

S. A. Schäfer · O. Tschritter · F. Machicao · C. Thamer ·
N. Stefan · B. Gallwitz · J. J. Holst · J. M. Dekker ·
L. M. 't Hart · G. Nijpels · T. W. van Haften ·
H. U. Häring · A. Fritsche

Published online: 10 November 2007
© Springer-Verlag 2007

L. M. 't Hart's name was spelled incorrectly in the original publication. The correct author list is given above.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00125-007-0753-6>.

S. A. Schäfer · O. Tschritter · F. Machicao · C. Thamer ·
N. Stefan · B. Gallwitz · H. U. Häring · A. Fritsche (✉)
Division of Endocrinology, Diabetology, Vascular Medicine,
Nephrology and Clinical Chemistry, Department of Internal
Medicine, Eberhard-Karls University of Tübingen,
Otfried-Müller-Str. 10,
72076 Tübingen, Germany
e-mail: andreas.fritsche@med.uni-tuebingen.de

J. J. Holst
Department of Medical Physiology, Panum Institute,
University of Copenhagen,
Copenhagen, Denmark

J. M. Dekker · G. Nijpels
On behalf of the Hoorn study, EMGO Institute,
Vrije Universiteit Medical Center,
Amsterdam, The Netherlands

L. M. 't Hart
Department of Molecular Cell Biology,
Leiden University Medical Center,
Leiden, The Netherlands

T. W. van Haften
Department of Internal Medicine,
Utrecht University Medical Center,
Utrecht, The Netherlands