Erratum to: Oral glucose tolerance test and HbA_{1c} for diagnosis of diabetes in patients undergoing coronary angiography: the Silent Diabetes Study

R. Doerr · U. Hoffmann · W. Otter · L. Heinemann · W. Hunger-Battfeld · B. Kulzer ·
A. Klinge · V. Lodwig · I. Amann-Zalan · D. Sturm · D. Tschoepe · S. G. Spitzer ·
J. Stumpf · T. Lohmann · O. Schnell

Published online: 30 August 2011
© Springer-Verlag 2011

Erratum to: Diabetologia
DOI 10.1007/s00125-011-2253-y

Unfortunately, through no fault of the authors, a colon was omitted from the title of this article. The correct title is shown above. *Diabetologia* apologises for this mistake.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00125-011-2253-y>.

R. Doerr · U. Hoffmann · S. G. Spitzer · J. Stumpf
Praxisklinik Herz und Gefäße,
Dresden, Germany

W. Otter
ZIM Center for Internal Medicine,
Unterschleissheim, Germany

L. Heinemann
Profil Institute,
Neuss, Germany

W. Hunger-Battfeld
University Clinic,
Jena, Germany

B. Kulzer
Diabetes Center,
Bad Mergentheim, Germany

A. Klinge
Diabetes Practice,
Hamburg, Germany

V. Lodwig · I. Amann-Zalan
Roche Diagnostics,
Mannheim, Germany

D. Sturm
General Practice,
Hohenstein-Ernstthal, Germany

D. Tschoepe
University Heart and Diabetes Center,
Bad Oeynhausen, Germany

T. Lohmann
Dresden-Neustadt Hospital,
Dresden, Germany

O. Schnell (✉)
Diabetes Research Group at the Helmholtz Center, Munich,
Ingolstädter Landstr. 1,
85764 Neuherberg, Germany
e-mail: oliver.schnell@lrz.uni-muenchen.de