Literatur

1. Alfirevic Z, Neilson JP (1995) Doppler ultrasonography in high risk pregnancies: systematic review with meta-analysis. *Am J Obstet Gynecol* 172: 1379–1387
2. Banta HD, Thacker SB (2001) Historical controversy in health technology assessment. The case of electronic fetal monitoring. *Gynecol Surv* 56: 707–719
3. Blaas HG, Eik-Nes SH, Berg S (2000) Three-dimensional fetal ultrasound. *Baillieres Best Pract Res Clin Obstet Gynaecol* 14: 611–627
4. Burgert W 3rd, Newton WP (2002) How effective are weekly antenatal steroids for decreasing the risks associated with preterm delivery? *J Fam Pract* 51: 13
5. Christiansen M, Hogdall EV, Larsen SO, Hogdall C (2002) The variation of risk estimates through pregnancy in second trimester maternal serum screening for Down syndrome. *Prenat Diagn* 22: 385–387
6. Cicero S, Curcio P, Papageorgiou, Sonek J, Nicolaides K (2001) Absence of nasal bone in fetuses with trisomy 21 at 11–14 weeks of gestation: an observational study. *Lancet* 358: 1658–1659
7. CLASP (Collaborative Low-dose Aspirin Study in Pregnancy) (1994) Collaborative Group CLASP: a randomised trial of low-dose aspirin for the prevention and treatment of pre-eclampsia among 9364 pregnant women. *Lancet* 343: 619–629
8. Dani C, Real MF, Bertini G et al. (1999) Risk factors for the development of respiratory distress syndrome and transient tachypnoea in newborn infants. Italian Group of Neonatal Pneumology. *Eur Respir J* 14: 155–159
9. Deprest J (2002) Towards an endoscopic intrauterine treatment for congenital diaphragmatic hernia. *Verh K Acad Geneesk Belg* 64: 55–70
10. Dreyfus M, Tissier I, Ndocko MA et al. (1999) Corticosteroid therapy for conservative management in marginally-viable pregnancy complicated by HELLP syndrome. *Eur J Obstet Gynecol Reprod Biol* 85: 233–234
11. French/Australian Atosiban Investigators Group (2001) Treatment of preterm labor with the oxytocin antagonist atosiban: a double-blind, randomized, controlled comparison with salbutamol. *Eur J Obstet Gynecol Reprod Biol* 98: 177–185
12. Hecher K, Diehl W, Zikulnig L, Vetter M, Hackloer BJ (2000) Endoscopic laser coagulation of placental anastomoses in 200 pregnancies with severe mid trimester twin-to-twin transfusion syndrome. *Eur J Obstet Gynecol Reprod Biol* 92: 135–139
13. Hecher K, Bilardo CM, Stigter RH et al. (2001) Monitoring of fetuses with intrauterine growth restriction: a longitudinal study. *Ultrasound Obstet Gynecol* 8: 564–570
14. Holzgreve W, Zhong XY, Burk MR, Hahn S (2001) Enrichment of fetal cells and free fetal DNA from maternal blood: An insight into the Basel experience. *Early Pregnancy* 5: 43–44
15. Ludwig H, Loeffler FE (2001) Caesarean section on demand—an ethical dilemma. *Arch Gynecol Obstet* 264: 169–170
16. Maloni JA (2001) Preventing low birth weight. How smoking cessation counseling can help. *AWHONN Lifelines* 5: 32–35
17. Pizarro C, Davis DA, Galantowicz ME et al. (2002) Stage I palliation for hypoplastic left heart syndrome in low birth weight neonates: can we justify it? *Eur J Cardiothorac Surg* 21: 716–720
18. Schneider H, Schneider KTM (1999) Intrauterine Wachstumsretardierung (IUWR). In: Schneider H, Husslein P, Schneider KTM (Hrsg) *Geburtshilfe*. Springer, Berlin Heidelberg New York Tokio, S 511–538
19. Terzidou V, Bennett PR (2002) Preterm labour. *Curr Opin Obstet Gynecol* 14: 105–113
20. Thacker SB, Berkman RL (1986) Assessing the diagnostic accuracy and efficacy of selected fetal surveillance techniques. *Obstet Gynecol Surv* 41: 121–141
21. The GRIT Study Group (1996) Growth Restriction Intervention Trial. When do obstetricians recommend delivery for a high-risk preterm growth-retarded fetus? *Eur J Obstet Gynecol Reprod Biol* 67: 121–126
22. The International Human Genome Mapping Consortium (2001) A physical map of the human genome. *Nature* 409: 934–941
23. Voigt M, Schneider KTM, Jährig K (1997) Analyse des Geburtsgutes des Jahrgangs 1992 der Bundesrepublik Deutschland. Teil 2: Mehrdimensionale Zusammenhänge zwischen Alter, Körpergewicht und Körperhöhe der Mutter und dem Geburtsgewicht. *Geburtsh u. Frauenheilk* 57: 246–255
24. Webb DA, Culhane J (2002) Hospital variation in episiotomy use and the risk of perineal trauma during childbirth. *Birth* 29: 132–136

Erratum

Gynäkologe 2002 · 35:844
DOI 10.1007/s00129-002-1272-7

Zum Beitrag „Gynäkologie und Geburtshilfe in den Niederlanden“ von J. W. Wladimiroff (Gynäkologe 2002, 35: 756-757):

Im Absatz „Ausbildung und Evaluierung – Verantwortlichkeiten“ ist uns bedauerlicherweise ein Fehler unterlaufen. Der dritte Satz lautet wie folgt: „Auszubildende unterziehen sich einer Prüfung, deren Ergebnis aber keinerlei Folgen hat.“

Wir bitten, dieses Versehen oftmals zu entschuldigen.

Gynäkologe 2002 · 35:844
DOI 10.1007/s00129-002-1273-6

Zum Beitrag „Gynäkologie und Geburtshilfe in Schweden“ von M. Bygdeman (Gynäkologe 2002, 35: 766-768):

Wir weisen darauf hin, dass es sich bei dem Beitrag um einen redaktionell bearbeiteten Auszug aus folgender Erstpublikation handelt (mit freundlicher Genehmigung von Baillière Tindall):

M. Bygdeman (1999) Profile of recruitment in Sweden. *Baillière's Clinical Obstetrics and Gynaecology* Vol. 13, No. 3: 383-392
© 1999 Harcourt Publishers Ltd.