Enrique Piacentini
Marc Wysocki
Lluís Blanch

Erratum to: A new automated method versus continuous positive airway pressure method for measuring pressure–volume curves in patients with acute lung injury

Published online: 2 September 2010
© Copyright jointly held by Springer and ESICM 2010

The online version of the original article can be found under doi:[10.1007/s00134-008-1322-2](https://doi.org/10.1007/s00134-008-1322-2).

E. Piacentini
Doctorando UAB, Intensive Care Unit,
Hospital Mútua de Terrassa, Terrassa, Spain

M. Wysocki
Medical Research, Hamilton Medical AG,
Bonaduz, Switzerland

L. Blanch (✉)
CIBER Enfermedades Respiratorias, Critical Care Center,
Hospital de Sabadell, Corporació Parc Taulí,
Institut Universitari Fundació Parc Taulí,
Universitat Autònoma de Barcelona,
Parc Taulí s/n, 08208 Sabadell, Spain
e-mail: lblanch@tauli.cat
Tel.: +34-93-7458323
Fax: +34-93-7233863

**Erratum to: Intensive Care Med (2009) 35:565–570
DOI 10.1007/s00134-008-1322-2**

At the time of publication the author E. Piacentini was a PhD student of the Universitat Autònoma de Barcelona, and this should have been reflected in his affiliation. The correct affiliation is as follows:

E. Piacentini
Doctorando UAB,
Intensive Care Unit,
Hospital Mútua de Terrassa,
Terrassa, Spain