

Erratum to: Migration of “bioabsorbable” screws in ACL repair. How much do we know? A systematic review

Hélder Pereira · Vítor M. Correlo ·
Joana Silva-Correia · Joaquim M. Oliveira ·
Rui L. Reis · João Espregueira-Mendes

Published online: 24 February 2013
© Springer-Verlag Berlin Heidelberg 2013

Erratum to: Knee Surg Sports Traumatol Arthrosc
DOI 10.1007/s00167-013-2414-2

Unfortunately, the names of two authors (**Hélder Pereira** and **Rui L. Reis**) have been incorrectly published with errors. The corrected author group is given below.

Hélder Pereira · Vítor M. Correlo · Joana Silva-Correia ·
Joaquim M. Oliveira · **Rui L. Reis** · João Espregueira-
Mendes

The online version of the original article can be found under
doi:[10.1007/s00167-013-2414-2](https://doi.org/10.1007/s00167-013-2414-2).

H. Pereira · V. M. Correlo · J. Silva-Correia ·
J. M. Oliveira · R. L. Reis · J. Espregueira-Mendes
3B's Research Group—Biomaterials, Biodegradables
and Biomimetics, University of Minho, Headquarters
of the European Institute of Excellence on Tissue Engineering
and Regenerative Medicine, AvePark, S. Cláudio de Barco,
4806-909 Taipas, Guimarães, Portugal

H. Pereira · V. M. Correlo · J. Silva-Correia ·
J. M. Oliveira · R. L. Reis · J. Espregueira-Mendes
ICVS/3B's—PT Government Associate Laboratory,
Braga/Guimarães, Portugal

H. Pereira · J. M. Oliveira · R. L. Reis · J. Espregueira-Mendes
Saúde Atlântica Sports Center—F.C. Porto Stadium,
Minho University and Porto University, Porto, Portugal

H. Pereira (✉)
Orthopedic Department Centro Hospitalar Póvoa
de Varzim—Vila do Conde, Porto, Portugal
e-mail: heldermdpereira@gmail.com