T. Hogervorst
T. H. Pels Rijcken
C. P. van der Hart
E. S. M. De Lange
W. K. Taconis

Abnormal bone scans in anterior cruciate ligament deficiency indicate structural and functional abnormalities

Knee Surg, Sports Traumatol, Arthrosc (2000) 8:137–142

Published online: 18 October 2000
© Springer-Verlag 2000

In the above article, the wrong halftone was printed for Fig. 3. The correct figure is reprinted below, together with the corrected legend:

T. Hogervorst (✉) · C. P. van der Hart
W. K. Taconis
Department of Orthopedic Surgery,
OLVG Hospital, P.O. Box 95500,
1091 HM Amsterdam, The Netherlands

T. H. Pels Rijcken
Department of Radiology,
Academic Medical Centre,
P.O. Box 22660,
1100 DD Amsterdam, The Netherlands

E. S. M. De Lange
Department of Clinical Epidemiology
and Biostatistics, Free University,
Van der Boechorststraat 7,
1081 BT Amsterdam, The Netherlands

Present address:

T. Hogervorst,
Blasiusstraat 3, 1091 CJ Amsterdam,
The Netherlands,
e-mail: tomhog@xs4all.nl,
Tel.: +31-20-4635637,
Fax: +31-20-5993998

Fig. 3 Anterior views of right and left knees and medial views of right knee with type 2 scintigraphic pattern for the medial compartment in a 24-year-old man with ACL deficiency of 4 years' duration. On arthroscopy no abnormalities were seen