Erratum to: Life-course evidence of birth weight effects on bone mass: systematic review and meta-analysis

J. Martínez-Mesa • M. C. Restrepo-Méndez •
D. A. González • F. C. Wehrmeister • B. L. Horta •
M. R. Domingues • A. M. B. Menezes

Published online: 28 September 2012
© International Osteoporosis Foundation and National Osteoporosis Foundation 2012

Erratum to: Osteoporos Int DOI 10.1007/s00198-012-2114-7

Erroneous versions of Figures. 2 and 3 were supplied for publication. The authors offer their sincere apologies for any inconvenience and are pleased to present the correct figures here.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00198-012-2114-7>.

J. Martínez-Mesa (✉) • M. C. Restrepo-Méndez •
F. C. Wehrmeister • B. L. Horta • A. M. B. Menezes
Postgraduate Program of Epidemiology,
Federal University of Pelotas,
Rio Grande do Sul, Brazil
e-mail: jeovanyymm@yahoo.es

D. A. González
Postgraduate Program of Nutrition,
Federal University of Santa Catarina,
Santa Catarina, Brazil

M. R. Domingues
Postgraduate Program of Physical Education,
Federal University of Pelotas,
Rio Grande do Sul, Brazil

a **b**

Fig. 2 Forest plot of studies assessing the association in adults between birth weight and bone mass density (BMD) (2a) and bone mass content (BMC) (2b) in spine. July, 2011

a **b**

Fig. 3 Forest plot of studies assessing the association between birth weight and bone mass content (BMC) in children (3a) and in adults (3b) by any anatomical area. July, 2011