Erratum to: Incidence of second hip fracture and compliant use of bisphosphonate

Y.-K. Lee · Y.-C. Ha · B.-H. Yoon · K.-H. Koo

Published online: 13 May 2014

© International Osteoporosis Foundation and National Osteoporosis Foundation 2014

Erratum to: Osteoporos Int DOI 10.1007/s00198-012-2250-0

In the fourth paragraph of the Discussion section of this article, the second sentence states: “One study reported a protective effect of bisphosphonate for the prevention of a second hip fracture.”

This is incorrect. The sentence should read as follows, substituting the word “adverse” for “protective”: “One study reported an adverse effect of bisphosphonate for the prevention of a second hip fracture.”

The authors apologize for this error.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00198-012-2250-0>.

Y.-K. Lee · B.-H. Yoon · K.-H. Koo
Department of Orthopaedic Surgery, Seoul National University
Bundang Hospital, 166 Gumi-ro, Bundang-gu,
Seongnam 463-707, South Korea

Y.-C. Ha (✉)
Department of Orthopaedic Surgery,
Chung-Ang University College of Medicine,
224-1 Heukseok-dong, Dongjak-gu, Seoul 156-755, South Korea
e-mail: hayongch@naver.com