Carsten K. Schmidt · Pi Hoegberg · Nicholas Fletcher
Charlotte B. Nilsson · Christina Trossvik
Helen Håkansson · Heinz Nau

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD) alters the endogenous metabolism of all-*trans*-retinoic acid in the rat

Published online: 21 November 2003
© Springer-Verlag 2003

Arch Toxicol (2003) 77:371–383

After submission of the manuscript, we were unable to reproduce the small decrease in CRBP-I mRNA levels at 28 days after TCDD exposure, as described in the paper.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00204-003-0457-8>

C. K. Schmidt · H. Nau (✉)
Department of Food Toxicology,
School of Veterinary Medicine Hannover,
Bischofsholer Damm 15, 30173 Hannover, Germany
E-mail: heinz.nau@tiho-hannover.de
Tel.: +49-511-8567600
Fax: +49-511-8567680

P. Hoegberg · N. Fletcher · C. B. Nilsson · C. Trossvik
H. Håkansson
Institute of Environmental Medicine,
Karolinska Institutet, 17177 Stockholm, Sweden

Present address: C. B. Nilsson
Safety Assessment, AstraZeneca R & D Södertälje,
15185 Södertälje, Sweden