Effects of adolescent fluoxetine treatment on fear-, anxiety- or stress-related behaviors in C57BL/6J or BALB/cJ mice

Maxine Norcross · Poonam Mathur · Abigail J. Enoch ·
Rose-Marie Karlsson · Jonathan L. Brigman ·
Heather A. Cameron · Judith Harvey-White ·
Andrew Holmes

Published online: 2 September 2008
© Springer-Verlag 2008

Erratum to: Psychopharmacology DOI 10.1007/s00213-008-1215-7

The original version of this article unfortunately contained a mistake. The name of the second author was not presented correctly. “Mathur Poonam” should be “Poonam Mathur.”

The online version of this article can be found at <http://dx.doi.org/10.1007/s00213-008-1215-7>.

M. Norcross · P. Mathur · A. J. Enoch · J. L. Brigman ·
A. Holmes (✉)
Section on Behavioral Science and Genetics,
Laboratory for Integrative Neuroscience,
National Institute on Alcohol Abuse and Alcoholism,
National Institutes of Health,
5625 Fishers Lane, Room 2N09,
Rockville, MD 20852-9411, USA
e-mail: holmesan@mail.nih.gov

R.-M. Karlsson
Laboratory of Translational and Clinical Studies,
Institute on Alcohol Abuse and Alcoholism, NIH,
Bethesda, MD, USA

R.-M. Karlsson
Department of Clinical Neuroscience, Karolinska Institute,
Stockholm, Sweden

H. A. Cameron
Unit on Neuroplasticity, Mood and Anxiety Disorders Program,
National Institute of Mental Health, NIH,
Bethesda, MD, USA

J. Harvey-White
Laboratory for Physiologic Studies,
National Institute on Alcohol Abuse and Alcoholism, NIH,
Rockville, MD, USA