Erratum to: Short and long access to cocaine self-administration activates tyrosine phosphatase STEP and attenuates GluN expression but differentially regulates GluA expression in the prefrontal cortex

Wei-Lun Sun · Agnieszka Zelek-Molik ·
Jacqueline F. McGinty

Published online: 5 June 2013
© Springer-Verlag Berlin Heidelberg 2013

Erratum to: Psychopharmacology
DOI 10.1007/s00213-013-3118-5

The original version of this article inadvertently contained a mistake.

An incorrect version of Figure 4 was published. The correct figure appears below.

Fig. 4 Effects of ShA and LgA cocaine self-administration on protein levels of p-GluA1 (a), t-GluA1 (b), p-GluA1 Ser845/t-GluA1 ratio (c), and t-GluA2 (d) in the dmPFC. Lower panels represent typical Western

blot images for each protein. Significant differences from the respective yoked saline controls are indicated (* $p < 0.05$; $N = 6-9$ per group)

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00213-013-3118-5>.

W.-L. Sun · A. Zelek-Molik · J. F. McGinty (✉)
Department of Neurosciences, Medical University of South
Carolina, 173 Ashley Ave MSC 510,
Charleston SC 29425, USA
e-mail: mcginty@muscc.edu