ERRATUM

Erratum to: Test–retest reliability of the underlying latent factor structure of alcohol subjective response

Joseph A. Lutz¹ • Emma Childs¹

Published online: 16 February 2017
© Springer-Verlag Berlin Heidelberg 2017

Erratum to: Psychopharmacology
DOI:10.1007/s00213-017-4535-7

The original version of this article, published on 27 January 2017, unfortunately contained an error in the values in the final three rows of Table 2. Correct table is presented here.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00213-017-4535-7>.

✉ Emma Childs
echilds@psych.uic.edu

¹ Department of Psychiatry, University of Illinois at Chicago, 1601 W. Taylor St, Chicago, IL 60612, USA

Table 2 Exploratory factor analysis solution for all AUC_{NET} values (N=312).

	Factor 1 Positive mood	Factor 2 Drug effects and Urge	Factor 3 Stimulation/ Euphoria	Factor 4 Sedation
POMS Elation	.766	.007	-.022	-.032
POMS Vigour	.734	-.009	-.032	-.160
POMS Friendliness	.655	-.026	.004	.073
BAES Stimulation	.541	.039	.201	-.112
DEQ Like	.023	.801	.047	-.107
DEQ More	-.032	.721	-.097	-.207
DEQ Feel	-.005	.638	.054	.237
DEQ High	.017	.526	.059	.174
ARCI-A	.027	.019	.937	.071
ARCI-BG	-.094	-.088	.680	-.425
ARCI-MBG	.220	.105	.571	.051
BAES Sedation	-.054	.003	.021	.767
ARCI-PCAG	-.103	.084	-.170	.722
POMS Fatigue	-.130	-.048	-.016	.597
Eigenvalues	4.451	2.555	1.358	1.227
% of variance	31.7	18.2	9.7	8.7
α	.805	.763	.807	.802

Note: Scales with factor loadings <0.4 were omitted. ARCI: Addiction Research Center Inventory (A=Amphetamine; MBG=Morphine-Benzedrine Group; BG=Benzedrine Group; PCAG=Pentobarbital-Clorpromazine-Alcohol Group); BAES: Biphasic Alcohol Effects Scale; POMS: Profile Of Mood States; DEQ: Drug Effects Questionnaire