Erratum to: Comparison of established and novel purity tests for the quality control of heparin by means of a set of 177 heparin samples

Susanne Alban · Susanne Lühn · Simone Schiemann · Tanja Beyer · Jochen Norwig ·
Claudia Schilling · Oliver Rädler · Bernhard Wolf · Magnus Matz · Knut Baumann ·
Ulrike Holzgrabe

Received: 8 October 2010 / Accepted: 8 October 2010 / Published online: 30 October 2010
© Springer-Verlag 2010

Erratum to: Anal Bioanal Chem
DOI 10.1007/s00216-010-4169-7

Regrettably, there was a mistake in the concentration of heparinase I. The correct concentration of heparinase I should read 2.5 mIU/ml.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00216-010-4169-7>.

S. Alban · S. Lühn · S. Schiemann
Pharmaceutical Institute, Christian-Albrechts-University,
Gutenbergstr. 76,
24118 Kiel, Germany

T. Beyer · U. Holzgrabe (✉)
Institute of Pharmacy and Food Chemistry,
University of Wuerzburg,
Am Hubland,
97074 Wuerzburg, Germany
e-mail: holzgrab@pharmazie.uni-wuerzburg.de

J. Norwig
Federal Institute for Drugs and Medical Device,
Kurt-Georg-Kiesinger-Allee 3,
53175 Bonn, Germany

C. Schilling · O. Rädler · B. Wolf
Ratiopharm Group,
Graf-Arco-Str. 3,
89079 Ulm, Germany

M. Matz · K. Baumann
Institute of Pharmaceutical Chemistry,
University of Technology Braunschweig,
Beethovenstrasse 55,
38106 Braunschweig, Germany