ERRATUM

Erratum to: Microscopic visualization of testosterone in mouse testis by use of imaging mass spectrometry

Shuichi Shimma¹ · Henri-Obadja Kumada² · Hisanori Taniguchi^{2,3} · Alu Konno^{4,5} · Ikuko Yao^{2,4,5} · Kyoji Furuta⁶ · Tadashi Matsuda³ · Seiji Ito²

Received: 10 August 2016 / Accepted: 10 August 2016 / Published online: 10 September 2016
© Springer-Verlag Berlin Heidelberg 2016

Erratum to: Anal Bioanal Chem
DOI 10.1007/s00216-016-9594-9

The authors would like to call the reader's attention to the fact that in the original version of this article unfortunately a reference was wrongly numbered. In the section "Material and methods" the first sentence in the paragraph "On-tissue derivatization with GT" should read: "We optimized the on-tissue derivatization method using GT based on a previous report [6]".

Published in the topical collection *New Applications of Mass Spectrometry in Biomedicine* with guest editors Mitsutoshi Setou and Toshimitsu Niwa.

Shuichi Shimma and Henri-Obadja Kumada contributed equally to this work.

The online version of the original article can be found at 10.1007/s00216-016-9594-9.

✉ Seiji Ito
ito@hirakata.kmu.ac.jp

¹ Division of Advanced Science and Biotechnology, Graduate School of Engineering of Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan

² Department of Medical Chemistry, Kansai Medical University, 2-5-1 Shin-machi, Hirakata, Osaka 573-1010, Japan

³ Department of Urology and Andrology, Kansai Medical University, 2-5-1 Shin-machi, Hirakata, Osaka 573-1010, Japan

⁴ Department of Optical Imaging, Institute for Medical Photonics Research, Preeminent Medical Photonics Education & Research Center, Hamamatsu University School of Medicine, 1-20-1 Handayama, Higashi-ku, Hamamatsu, Shizuoka 431-3192, Japan

⁵ JST, ERATO, Sato Project, Tokyo 160-8582, Japan

⁶ Regeneration and Advanced Medical Science, Gifu University Graduate School of Medicine, Yanagido 1-1, Gifu, Gifu 501-1193, Japan