Is the human masticatory system devoid of recurrent inhibition?

K. S. Türker · A. Schmied · A. Rossi ·
R. Mazzocchio · P. F. Sowman · J. P. Vedel

Published online: 11 January 2007
© Springer-Verlag 2007

Erratum to: Exp Brain Res
DOI 10.1007/s00221-006-0774-2

In Table 1, header lower part, the word “L-Acetylcarni-
tine” should read “Saline”. The correct Table is given
here:

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s00221-006-0774-2>.

K. S. Türker (✉) · P. F. Sowman
Research Centre for Human Movement Control,
Discipline of Physiology, School of Molecular
and Biomedical Sciences, University of Adelaide,
Adelaide, SA 5005, Australia
e-mail: kemal.turker@adelaide.edu.au

A. Schmied · J. P. Vedel
P3M-CNRS, 31 Chemin Joseph Aiguier,
13402 Marseille Cedex 20, France

A. Rossi · R. Mazzocchio
Unità di Neurofisiologia Clinica,
Università degli Studi di Siena,
Dipartimento di Scienze Neurologiche e del
Comportamento, Policlinico Universitario Le Scotte,
viale Bracci, 53100 Siena, Italy

Table 1 Comparison of measured variables

L-Acetylcarnitine	Pre-injection	Injection	Post-injection	Manova (P)
Motor unit pairs (<i>N</i>)	16	16	15	
Significant synchronization (<i>N</i>)	16	13	14	
Peak width (ms)	9.7 ± 6.7	11.1 ± 9.9	11.3 ± 7.1	0.46
Peak area (imp./trigger)	0.033 ± 0.016	0.025 ± 0.015	0.035 ± 0.013	0.13
CIS (imp./s)	0.36 ± 0.15	0.29 ± 0.18	0.40 ± 0.17	0.2
<i>K'</i>	1.33 ± 0.17	1.28 ± 0.17	1.27 ± 0.12	0.36
Background EMG (EMG max %)	7.5 ± 4.5	7.5 ± 4.1	7.5 ± 3.8	0.96
ISI (geometric mean, ms)	73.9 ± 12.5	68.9 ± 11.4	68.7 ± 11.4	NS
ISI CV (geometric mean, %)	27 ± 5	26 ± 6	27 ± 8	NS
Saline	Pre-injection	Injection	Post-injection	Manova (P)
Motor unit pairs (<i>N</i>)	16	16	15	
Significant synchronization (<i>N</i>)	12	14	11	
Peak width (ms)	10.6 ± 5.5	10.8 ± 5.4	9.8 ± 3.6	0.98
Peak area (imp./trigger)	0.030 ± 0.016	0.028 ± 0.016	0.026 ± 0.015	0.73
CIS (imp./s)	0.35 ± 0.22	0.32 ± 0.19	0.33 ± 0.25	0.72
<i>K'</i>	1.33 ± 0.19	1.27 ± 0.18	1.24 ± 0.15	0.27
Background EMG (EMG max %)	6.7 ± 5	6.7 ± 4.7	7.3 ± 6.3	0.49
ISI (geometric mean, ms)	76.7 ± 15	74.4 ± 15.3	72.9 ± 11.9	NS
ISI CV (geometric mean, %)	28 ± 6	28 ± 8	30 ± 7	NS