Erratum to: Robot-assisted modifications of gait in healthy individuals

Seok Hun Kim · Sai K. Banala ·
Elizabeth A. Brackbill · Sunil K. Agrawal ·
Vijaya Krishnamoorthy · John P. Scholz

Published online: 10 April 2010
© Springer-Verlag 2010

Erratum to: Exp Brain Res DOI 10.1007/s00221-010-2187-5

The authors apologize for the errors in the legend of Fig. 6. The corrected legend is as follows:

Average ratio in integrated hip extensor and knee flexor moments between each of the post-training tests and the

baseline test. Values greater or less than 1.0 indicate an increase or decrease, respectively, of the joint moment relative to the baseline test. *FFC + VG* force-field constraint plus visual guidance, *FFC* force-field constraint, *VG* visual guidance, *IPT* immediate post-training, *R1* retention 1, *R2* retention 2. *Error bars* represent SEM

The online version of the original article can be found under doi:[10.1007/s00221-010-2187-5](https://doi.org/10.1007/s00221-010-2187-5).

S. H. Kim
School of Physical Therapy and Rehabilitation Sciences,
University of South Florida, Tampa, FL 33612, USA
e-mail: skim@health.usf.edu

S. K. Banala · E. A. Brackbill · S. K. Agrawal
Department of Mechanical Engineering, University of Delaware,
Newark, DE 19716, USA

V. Krishnamoorthy
Division of Physical Therapy, Department of Rehabilitation
Medicine, Emory University, Atlanta, GA 30322, USA

J. P. Scholz (✉)
Department of Physical Therapy, University of Delaware,
307 McKinly Laboratory, Newark, DE 19716, USA
e-mail: jpscholz@udel.edu

J. P. Scholz
Biomechanics and Movement Science Program, University of
Delaware, Newark, DE 19716, USA