The Effects of Strontium Ranelate in Asian Women with Postmenopausal Osteoporosis

J. S. Hwang · J. F. Chen · T. S. Yang ·
D. J. Wu · K. S. Tsai · C. Ho · C. H. Wu ·
S. L. Su · C. J. Wang · S. T. Tu

Published online: 11 March 2009
© Springer Science+Business Media, LLC 2009

Erratum to: *Calcif Tissue Int* (2008) 83(5):308–314 DOI 10.1007/s00223-008-9180-z

In the October 2008 issue (volume 83/number 5, pp. 308–314), an error occurred in Table 1. In line 12, Serum BSAP

(ng/mL), the data should read “ 15.4 ± 0.07 ” (not 1.54) for Strontium ranelate and “ 18.8 ± 0.10 ” (not 1.88) for Placebo.

We regret this error.

The online version of the original article can be found under doi:[10.1007/s00223-008-9180-z](https://doi.org/10.1007/s00223-008-9180-z).

J. S. Hwang · J. F. Chen · C. Ho
Division of Endocrinology and Metabolism, Department
of Internal Medicine, Chang Gung Memorial Hospital,
Chang Gung University, Linkou, Chlayi, Kaohsiung,
Taiwan, ROC
e-mail: hwangjs@cgmh.org.tw

T. S. Yang
Department of Obstetrics and Gynecology,
Taipei Veterans General Hospital, School of Medicine,
National Yang-Ming University, Taipei, Taiwan, ROC

D. J. Wu · C. H. Wu
Departments of Internal Medicine and Family Medicine,
National Cheng Kung University, Medical Center, Tainan,
Taiwan, ROC

K. S. Tsai
Department of Internal Medicine, National Taiwan University
Hospital, College of Medicine, National Taiwan University,
Taipei, Taiwan, ROC

S. L. Su · S. T. Tu (✉)
Division of Endocrinology and Metabolism,
Department of Internal Medicine, Changhua Christian Hospital,
135 Nanhsiao Street, Changhua, Taiwan, Taiwan, ROC
e-mail: 10836@cch.org.tw

C. J. Wang
Department of Radiology, Chang Gung Memorial Hospital,
Linkou, Chang Gung University, Taipei, Taiwan, ROC