A. Kotake · T. Arai · T. Ozawa · S. Nojima
M. J. Miller · K. Tsukamoto

Variation in migratory history of Japanese eels, *Anguilla japonica*, collected in coastal waters of the Amakusa Islands, Japan, inferred from otolith Sr/Ca ratios

Published online: 29 May 2003
© Springer-Verlag 2003

Marine Biology (2003) 142: 849–854

In the printed version of the article, two references by Punkhurst were cited. This name was misspelled and should be Pankhurst.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00227-003-1016-9>

A. Kotake (✉) · M. J. Miller · K. Tsukamoto
Ocean Research Institute, The University of Tokyo,
1-15-1 Minamidai, Tokyo 164-8639, Nakano, Japan
E-mail: kesshu@ori.u-tokyo.ac.jp
Tel.: +81-3-53516520
Fax: +81-3-53516514

T. Arai
Otsuchi Marine Research Center, Ocean Research Institute,
The University of Tokyo,
2-106-1 Akahama, Iwate 028-1102,
Otsuchi, Japan

T. Ozawa
Faculty of Fisheries,
Kagoshima University, 4-50-20 Shimoarata,
Kagoshima 890-0056, Japan

S. Nojima
Amakusa Marine Biology Laboratory,
Kyushu University, 2231 Tomioka, Reihoku,
Kumamoto 863-2507, Amakusa, Japan