ERRATUM

Erratum to: Diagnostic imaging of dementia with Lewy bodies by susceptibility-weighted imaging of nigrosomes versus striatal dopamine transporter single-photon emission computed tomography: a retrospective observational study

Koji Kamagata¹ · Tomoya Nakatsuka² · Ryuji Sakakibara³ · Yohei Tsuyusaki³ · Tomohiro Takamura⁴ · Kanako Sato¹ · Michimasa Suzuki¹ · Masaaki Hori¹ · Kanako K Kumamaru¹ · Tsutomu Inaoka² · Shigeki Aoki¹ · Hitoshi Terada²

Published online: 22 March 2017
© Springer-Verlag Berlin Heidelberg 2017

Erratum to: Neuroradiology
DOI: 10.1007/s00234-016-1773-z

The authors apologize for misinterpreting the spatial resolution in the paper by Noh et al. in the Discussion of “Diagnostic imaging of dementia with Lewy bodies by susceptibility-weighted imaging of nigrosomes versus striatal dopamine transporter single-photon emission computed tomography: a retrospective observational study”, DOI: [10.1007/s00234-016-1773-z](https://doi.org/10.1007/s00234-016-1773-z):

The sentence should read:

In addition, the resolution of the SWI sequence used in this study was $0.9 \times 0.9 \times 2$ mm, which was slightly inferior to that used by Schwarz et al. ($0.55 \times 0.55 \times 0.7$ mm or $0.43 \times 0.43 \times 0.75$) and Noh et al. ($0.5 \times 0.5 \times 1.5$ mm, particularly at a slice thickness of 2 mm).

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00234-016-1773-z>

✉ Koji Kamagata
kkamagat@juntendo.ac.jp

¹ Department of Radiology, Juntendo University Graduate School of Medicine, 2-1-1 Hongo, Bunkyo-ku, Tokyo 113-8421, Japan

² Department of Radiology, Toho University Sakura Medical Center, Sakura, Japan

³ Department of Neurology, Toho University Sakura Medical Center, Sakura, Japan

⁴ Department of Radiology, University of Yamanashi, Yamanashi, Japan