Correction to: Routine Sildenafil Does Not Improve Clinical Outcomes After Fontan Operation

J. Leslie Gaddis Collins¹ · Mark A. Law¹ · Santiago Borasino² · W. Clinton Erwin³ · David C. Cleveland⁴ · Jeffrey A. Alten^{2,5}

Published online: 25 January 2018
© Springer Science+Business Media, LLC, part of Springer Nature 2018

Correction to: *Pediatr Cardiol* (2017) 38:1703–1708
<https://doi.org/10.1007/s00246-017-1716-4>

The original version of this article unfortunately contained a mistake. The presentation of Table 2 was incorrect. The corrected Table 2 is given below.

The original article can be found online at <https://doi.org/10.1007/s00246-017-1716-4>.

✉ Jeffrey A. Alten
jalten@peds.uab.edu

- ¹ Division of Pediatric Cardiology, University of Alabama at Birmingham, Birmingham, AL 35233, USA
- ² Division of Pediatric Cardiology, Section of Cardiac Critical Care, University of Alabama at Birmingham, Birmingham, AL 35233, USA
- ³ School of Medicine, University of Alabama at Birmingham, Birmingham, AL 35233, USA
- ⁴ Division of Cardiothoracic Surgery, University of Alabama at Birmingham, Birmingham, AL 35233, USA
- ⁵ Section of Pediatric Cardiac Critical Care Medicine, University of Alabama at Birmingham, 1600 5th Avenue South, Children's Park Place Suite 210, Birmingham, AL 35233, USA

Table 2 Outcomes

Outcome	No sildenafil <i>N</i> = 84	Sildenafil <i>N</i> = 19	<i>p</i>
Total 5% albumin, 24 h (mL/kg)	17 (1, 30)	21 (10, 40)	0.069
Admit SaO ₂ (%)	97.5 (93.7, 98.4)	98 (94.7, 100)	0.145
Inotrope score 12 h	2.5 (0, 5)	0 (0, 3)	0.044
Inotrope score 24 h	0 (0, 0)	0 (0, 0)	0.262
Maximum lactate (mg/dL)	3.2 (2.1, 4.7)	2.6 (1.9, 4.7)	0.291
Fluid balance 24 h (mL/kg)	7.5 (−12.4, 29.3)	3 (−9.1, 19.6)	0.929
Maximum serum creatinine (mg/dL)	0.6 (0.5, 0.6)	0.5 (0.5, 0.7)	0.069
Duration of MV (h)	6.9 (3.5, 11.1)	4 (2, 7)	0.045
Duration of O ₂ therapy (h)	99 (52, 225)	14.5 (14, 56)	0.001
Total CTO (mL/kg)	83 (49, 132)	126 (59, 256)	0.058
CTO (days)	6 (5, 8)	8 (6, 13)	0.011
Prolong CTO (%)	15/84 (17.9)	9/19 (47.4)	0.013
LOS (days)	9 (7, 11)	13 (8, 25)	0.016
Prolong LOS (%)	18/84 (21.4)	10/19 (52.6)	0.010
Readmission (%)	16 (19)	6 (31.6)	0.229

Data presented as median with interquartile range. All time points from cardiac intensive care unit admission

CTO chest tube output, *LOS* length of stay