ERRATUM

Erratum to: Utility of ultrasound in noninvasive preoperative workup of neonatal brachial plexus palsy

Deepak K. Somashekar^{1,2} · Michael A. Di Pietro¹ · Jacob R. Joseph³ · Lynda J.-S. Yang³ · Hemant A. Parmar^{1,2}

Published online: 10 March 2016
© Springer-Verlag Berlin Heidelberg 2016

Erratum to: *Pediatr Radiol* DOI 10.1007/s00247-015-3524-4

An error appears in the illustration for Fig. 1: Normal brachial plexus. The corrected diagram is printed here. The corrected illustration of normal brachial plexus on the right side shows the position of C5 to T1 nerve roots, arising above the corresponding vertebra, and formation of upper, middle and lower trunks. *Note that the anterior tubercle of C7 transverse process is smaller compared to C6.* Origins of dorsal scapular, suprascapular and long thoracic nerves are also shown.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00247-015-3524-4>.

✉ Hemant A. Parmar
parurad@hotmail.com

¹ Department of Radiology, Section of Pediatric Radiology,
C. S. Mott Children's Hospital,
University of Michigan Health System,
1500 E. Medical Center Drive, Ann Arbor, MI 48109, USA

² Department of Radiology, Section of Neuroradiology,
University of Michigan Health System,
Ann Arbor, MI, USA

³ Department of Neurosurgery, University of Michigan Health System,
Ann Arbor, MI, USA