A mildly painful wrist mass

Wai Kan Tsang • Kwok Fai Godfrey Tam

Published online: 7 September 2013
© ISS 2013

Question

A 4-year-old boy presented with insidious onset of mildly painful right wrist swelling for 1 month. There was no history

of trauma or injury and his family history was unremarkable. Radiographs were taken on presentation (Fig. 1) and 10 days following initial presentation (Fig. 2). MR imaging (Fig. 3) was done 2 weeks after presentation.

Fig. 1 Right wrist radiographs taken on presentation **a** AP and **b** lateral view

The diagnosis can be found at doi:10.1007/s00256-013-1711-7

W. K. Tsang (✉)
Department of Radiology & Nuclear Medicine, Tuen Mun Hospital,
Tuen Mun, New Territories, Hong Kong
e-mail: tsang_k@yahoo.com.hk

K. F. G. Tam
Department of Radiology, North District Hospital, Sheung Shui,
New Territories, Hong Kong

Fig. 2 Right wrist AP radiograph taken 10 days following initial presentation

Fig. 3 MR image taken 2 weeks after presentation. **a** Coronal T1-weighted, **b** axial T2-weighted fat suppression, and **c** sagittal T1-weighted enhanced images

Conflict of interest The authors declare that they have no conflicts of interest.