Multiple painless masses

Munish Chitkara • Paula J. Rackoff • Luis S. Beltran

Published online: 7 December 2013
© ISS 2013

Part I – Question

Multiple painless masses

A 67 year old male presented to his primary care physician complaining of several non-painful subcutaneous firm masses on his forearms and legs, some of which he felt were increasing in size over the past few years (Figs. 1, 2, 3, and 4).

The diagnosis can be found at doi: [10.1007/s00256-013-1788-z](https://doi.org/10.1007/s00256-013-1788-z)

M. Chitkara (✉) • L. S. Beltran
Department of Radiology, NYU Langone Medical Center
and Hospital for Joint Diseases, 301 East 17th Street,
New York, NY 10003, USA
e-mail: munish.chitkara@nyumc.org

P. J. Rackoff
Department of Medicine-Rheumatology Division,
NYU Langone Medical Center and Center
for Musculoskeletal Care, New York, NY, USA

Fig. 1 Anterior view from a whole body ^{99m}Tc -methylene diphosphonate bone scan

Fig. 2 AP radiograph of the pelvis

Fig. 3 AP radiographs of the bilateral forearms and lower legs

Fig. 4 Coronal CT image of the bilateral lower legs on a bone window

Disclosure The authors declare that they have no conflict of interest.