Anterior knee pain

Jung Eun Lee · Kyung Nam Ryu · Ji Seon Park ·
Chung Soo Han · Yong Koo Park

Published online: 17 December 2014
© ISS 2014

Question:

A 47-year-old male presented with a 5-year history of intermittent pain in the anterior aspect of the right knee Figs. 1, 2 and 3.

Fig. 1 Anteroposterior **a** and skyline view **b** radiographs of the right knee

The diagnosis can be found at doi: 10.1007/s00256-014-2070-8

J. E. Lee · K. N. Ryu (✉) · J. S. Park
Department of Radiology, Kyung Hee University Hospital, 1,
Hoeki-dong, Dongdaemun-gu 130-702 Seoul, Republic of Korea
e-mail: t2star@naver.com

K. N. Ryu
e-mail: t2star@khu.ac.kr

C. S. Han
Department of Orthopedic Surgery, Kyung Hee University Hospital,
1, Hoegi-dong, Dongdaemun-gu Seoul 130-702, South Korea

Y. K. Park
Department of Pathology, Kyung Hee University Hospital, 1,
Hoegi-dong, Dongdaemun-gu Seoul 130-702, South Korea

Fig. 2 Coronal (a) and axial (b) computed tomography (CT) images of the right knee

Fig. 3 Axial T1-weighted (TR/TE, 400/20) (a), T2-weighted (TR/TE, 1950/100) (b), and contrast enhanced T1-weighted fat-suppression (TR/TE, 466/20) (c) magnetic resonance (MR) images of the right knee